



December 1, 2009

ORDERING INFORMATION PHONE: (888) 453-0311, FAX: (877) 501-8458, WEBSITE: www.amysystems.com

ACCOUNT INFORMATION

| | |
|--------------------------------------|----------------------------------|
| Dealer Contact Name: _____ | Bill to (Name): _____ |
| Email Address: _____ | Bill to (Location): _____ |
| Phone Number: _____ | Ship to (Name): _____ |
| Fax Number: _____ | Address: _____ |
| User Name or Number: _____ | City: _____ |
| User Weight: _____ | State: _____ |
| User Height: _____ | Zip Code: _____ |
| Seat Cushion Thickness: _____ | P.O. # or Quote: _____ |

ALLTRACK M - (K0848) Group 3 Standard configuration without power options (Basic Package)

| | | | |
|--------------------------|-----------|---|--------|
| <input type="checkbox"/> | ATM-3S-SS | ALLTRACK M Power Wheelchair (K0848 - Group 3 STD, No Power) | \$6995 |
| <input type="checkbox"/> | MP592-STD | Motor Package with a maximum speed of 5.9 MPH | STD |
| <input type="checkbox"/> | WCA3 | 300 lb Maximum user weight capacity | STD |
| | | VR2 90A Drive Controller | STD |
| | | VR2 Standard 4-Key Joystick | STD |

ALLTRACK M - (K0850) Group 3 Heavy-Duty configuration without power options (Basic Package)

| | | | |
|--------------------------|------------|--|--------|
| <input type="checkbox"/> | ATM-3HD-SS | ALLTRACK M Power Wheelchair (K0850 - Group 3 Heavy-Duty, No Power) | \$6995 |
| <input type="checkbox"/> | WCA45 | 450 lb Maximum user weight capacity | \$995 |
| <input type="checkbox"/> | MP594-STD | Motor Package with a maximum speed of 5.9 MPH (Maximum user weight of 400 lb) | STD |
| <input type="checkbox"/> | MP544-OPT | Optional Heavy-Duty Motor Package with a maximum speed of 5.4 MPH (Maximum user weight of 450 lb) | \$995 |
| | | VR2 90A Drive Controller | STD |
| | | VR2 Standard 4-Key Joystick | STD |

ALLTRACK M - (K0856) Group 3 Standard configuration with Single power option (Basic Package)

| | | | |
|--------------------------|-----------|--|--------|
| <input type="checkbox"/> | ATM-3S-SP | ALLTRACK M Power Wheelchair (K0856 - Group 3 STD, Single Power) | \$6995 |
| <input type="checkbox"/> | MP594-STD | Motor Package with a maximum speed of 5.9 MPH | STD |
| <input type="checkbox"/> | WCA3 | 300 lb Maximum user weight capacity | STD |
| | | VR2 90 Amp Drive Controller | STD |
| | | VR2 6-Key Joystick (Allows for a single power option to operate through this joystick) | \$250 |

ALLTRACK M - (K0858) Group 3 Heavy-Duty configuration with Single power option (Basic Package)

| | | | |
|--------------------------|------------|--|--------|
| <input type="checkbox"/> | ATM-3HD-SP | ALLTRACK M Power Wheelchair (K0858 - Group 3 Heavy-Duty, Single Power) | \$6995 |
| <input type="checkbox"/> | WCA45 | 450 lb Maximum user weight capacity | \$995 |
| <input type="checkbox"/> | MP594-STD | Motor Package with a maximum speed of 5.9 MPH (Maximum user weight of 400 lb) | STD |
| <input type="checkbox"/> | MP544-OPT | Optional Heavy-Duty Motor Package with a maximum speed of 5.4 MPH (Maximum user weight of 450 lb) | \$995 |
| | | VR2 90 Amp Drive Controller | STD |
| | | VR2 6-Key Joystick (Allows for a single power option to operate through this joystick) | \$250 |

ALLTRACK M - (K0861) Group 3 Standard configuration with Multiple power options (Basic Package)

| | | | |
|--------------------------|-----------|---|--------|
| <input type="checkbox"/> | ATM-3S-MP | ALLTRACK M Power Wheelchair (K0861 - Group 3 STD, Multiple Power) | \$6995 |
| <input type="checkbox"/> | MP594-STD | Motor Package with a maximum speed of 5.9 MPH | STD |
| <input type="checkbox"/> | WCA3 | 300 lb Maximum user weight capacity | STD |
| | | R-net EL 90 Amp Expandable Controller (E2377) | \$425 |
| | | R-net LED Multiple Drive Joystick | N/C |

ALLTRACK M - (K0862) Group 3 Heavy-Duty configuration with Multiple power options (Basic Package)

| | | | |
|--------------------------|------------|--|--------|
| <input type="checkbox"/> | ATM-3HD-MP | ALLTRACK M Power Wheelchair (K0862 - Group 3 Heavy-Duty, Multiple Power) | \$6995 |
| <input type="checkbox"/> | WCA45 | 450 lb Maximum user weight capacity | \$995 |
| <input type="checkbox"/> | MP594-STD | Motor Package with a maximum speed of 5.9 MPH (Maximum user weight of 400 lb) | STD |
| <input type="checkbox"/> | MP544-OPT | Optional Heavy-Duty Motor Package with a maximum speed of 5.4 MPH (Maximum user weight of 450 lb) | \$995 |
| | | R-net EL 90 Amp Expandable Controller (E2377) | \$425 |
| | | R-net LED Multiple Drive Joystick | N/C |

STANDARD OPTIONS FOR HCPCS CODES (K0848, K0850, K0856, K0858, K0861, K0862)

Offboard battery charger, 14" Cast Wheel Pneumatic with Flat-Free inserts, 6" Casters, Auto Style Buckle Seat Positioning Strap, Swing-Away Footrests with Flip-up Footplates or a 90° Fixed Center Mount Interface Bracket with a Flip-up one piece Foot Platform and a Fixed Joystick Mount.

STANDARD FRAME COLORS

| | | |
|--------------------------|-------|---------------------|
| <input type="checkbox"/> | FCBLK | Black |
| <input type="checkbox"/> | FCCBU | Candy Blue |
| <input type="checkbox"/> | FCCRE | Candy Red |
| <input type="checkbox"/> | FCBAO | Black Opal Metallic |

OPTIONAL FRAME COLORS

| | | |
|--------------------------|-------|-----------------------|
| <input type="checkbox"/> | FCBOR | Burnt Orange Metallic |
| <input type="checkbox"/> | FCMPL | Midnight Purple |
| <input type="checkbox"/> | FCRZB | Razzleberry |
| <input type="checkbox"/> | FCYLW | Yellow |
| <input type="checkbox"/> | FCOPM | Orange Pearl Metallic |

MATCHING WHEELS TO THE SHROUD COLOR

| | | | |
|--------------------------|---------|-------------------------------------|-------|
| <input type="checkbox"/> | FC***-M | Matching Wheels to the Shroud Color | \$195 |
|--------------------------|---------|-------------------------------------|-------|

OPTIONAL MOTOR PACKAGE

| | | | |
|--------------------------|-----------|---|-------|
| <input type="checkbox"/> | MP594-OPT | 4 - Pole Motor Package with a maximum speed of 5.9 MPH (Maximum user weight Capacity of 400 lbs) | \$995 |
| <input type="checkbox"/> | MP544-OPT | 4 - Pole Heavy-Duty Motor Package with a maximum speed of 5.4 MPH (Maximum user weight of 450 lb) | \$995 |

TRANSPORT OPTION

| | | | |
|--------------------------|------|---|-------|
| <input type="checkbox"/> | TTD4 | 1 4-Point wheelchair transport brackets | \$350 |
|--------------------------|------|---|-------|

Note 1 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval. Use these transport brackets only to secure an unoccupied wheelchair during transport.

BATTERY TRAY AND FRAME SIZE

| | | | |
|--------------------------|-------|--|-----|
| <input type="checkbox"/> | FS22B | Battery Tray for Group 22NF Batteries (Total base width = 24") | STD |
| <input type="checkbox"/> | FS24B | Battery Tray for Group 24 Batteries (Total base width = 25 3/8") | N/C |

BATTERIES

| | | | |
|--------------------------|-----------|--|-------|
| <input type="checkbox"/> | BAT22NFPR | Gel Batteries - Group 22NF (Pair - On chair) | \$705 |
| <input type="checkbox"/> | BAT24PR | Gel Batteries - Group 24 (Pair - On chair) | \$890 |

BATTERY CHARGER

| | | | |
|--------------------------|--------|---|-------|
| <input type="checkbox"/> | BC8A | Offboard Battery Charger | N/C |
| <input type="checkbox"/> | BCLES8 | Lester 8 amp Offboard Battery Charger (E2367) | \$320 |

DRIVE WHEEL

| | | | |
|--------------------------|--------|---|-----|
| <input type="checkbox"/> | DW14PT | 14" Cast Wheel Pneumatic Tire | STD |
| <input type="checkbox"/> | DW14PI | 14" Cast Wheel Pneumatic with Flat-Free inserts | N/C |
| <input type="checkbox"/> | DW12PT | 2 12 1/2" Cast Wheel Pneumatic Tire | N/C |
| <input type="checkbox"/> | DW12PI | 2 12 1/2" Cast Wheel Pneumatic with Flat-Free inserts | N/C |

Note 2 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

FRONT CASTERS

| | | | |
|--------------------------|-------|---|-------|
| <input type="checkbox"/> | FC6S | 6" Solid Casters | STD |
| <input type="checkbox"/> | FC8PT | 3 8" Pneumatic Casters | \$150 |
| <input type="checkbox"/> | FC8PI | 3 8" Pneumatic Casters with Flat-Free inserts | \$175 |

Note 3 Depending on the configuration, 8" front casters may increase seat to floor height by 1/8", and add 1° to the seat angle. The 8" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)

SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")

Options for a Seat Only

| | | | |
|--------------------------|---|--------|---|
| <input type="checkbox"/> | 4 | STFH16 | 16" (Possible Seat angle of 0° only) |
| <input type="checkbox"/> | 4 | STFH17 | 17" (Possible Seat angle of 0° and 3°) |
| <input type="checkbox"/> | 4 | STFH18 | 18" (Possible Seat angle of 0° and 3°) |
| <input type="checkbox"/> | 4 | STFH19 | 19" (Possible Seat angle of 0°, 3°, 6°, 9°) |
| <input type="checkbox"/> | 4 | STFH20 | 20" (Possible Seat angle of 0°, 3°, 6°, 9°) |

Options for a Power Tilt or a STD Power Elevating Seat

| | | | |
|--------------------------|------|----------|--|
| <input type="checkbox"/> | 4, 5 | STFH1675 | 16 3/4" (Possible Seat angle of 0° only) |
| <input type="checkbox"/> | 4, 5 | STFH1775 | 17 3/4" (Possible Seat angle of 0° only) |
| <input type="checkbox"/> | 4, 5 | STFH1825 | 18 1/4" (Possible Seat angle of 0° only) |
| <input type="checkbox"/> | 4, 5 | STFH1875 | 18 3/4" (Possible Seat angle of 0° only) |
| <input type="checkbox"/> | 4, 5 | STFH1925 | 19 1/4" (Possible Seat angle of 0° only) |

Options for a Combo - Power Tilt with a STD Power Elevating Seat

| | | | |
|--------------------------|------|----------|--|
| <input type="checkbox"/> | 4, 5 | STFH1875 | 18 3/4" (Possible Seat angle of 0° only) |
|--------------------------|------|----------|--|

Note 4 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque
 Note 5 The Heavy-Duty 11" Power Elevating Seat increases seat to floor height by approximately 1 1/2" (ADDPESXHD)

PRE-SET SEAT FRAME ANGLE

| | | | |
|--------------------------|-------|---|-----|
| <input type="checkbox"/> | SFE-0 | 6 0° Pre-set seat frame seat angle (Must be selected when using power options) | STD |
| <input type="checkbox"/> | SFE-3 | 6 3° Pre-set seat frame seat angle (Only available with a seat configuration without power options) | N/C |
| <input type="checkbox"/> | SFE-6 | 6 6° Pre-set seat frame seat angle (Only available with a seat configuration without power options) | N/C |
| <input type="checkbox"/> | SFE-9 | 6 9° Pre-set seat frame seat angle (Only available with a seat configuration without power options) | N/C |

Note 6 Please refer to the special notes in the above seat to floor height section to confirm seat angle possibilities.

PG DRIVES 90 AMP STANDARD CONTROLLER & JOYSTICK

| | | | |
|--------------------------|---------|--|-------|
| <input type="checkbox"/> | ECV902A | VR2 90 Amp Drive Controller | STD |
| <input type="checkbox"/> | ECVJ4K | 7 VR2 Standard 4-Key Joystick | STD |
| <input type="checkbox"/> | ECVJ6K | 7 VR2 6-Key Joystick (Allows for a single power option to operate through this joystick) | \$250 |
| <input type="checkbox"/> | ECVJ9KL | 7 VR2 9-Key Joystick with Lighting Operation (Allows for a single power function to operate through this joystick) | \$350 |

Note 7 Requires the VR2 90A Drive Control (ECV902A)

PG DRIVES 90 AMP FULLY EXPANDABLE CONTROLLER & JOYSTICK FOR POWER SEATING & SPECIALTY CONTROLS

| | | | |
|--------------------------|--------|--|-------|
| <input type="checkbox"/> | ECEL90 | R-net EL 90 Amp Expandable Controller (E2377) | \$425 |
| <input type="checkbox"/> | ECRNH | 8, 9 Harness for Expandable Controller (E2313) | \$350 |
| <input type="checkbox"/> | ECELJ | 8 R-net EL (LED) Multiple Drive Joystick | N/C |
| <input type="checkbox"/> | ECELJL | 8 R-net EL (LED) Multiple Drive Joystick with Lighting Operation | \$525 |

Note 8 Requires the fully expandable EL 90 amp controller (ECEL90)
Note 9 Must be ordered with the expandable controller ECEL90 to interface with Joystick or OMNI screen

PG DRIVES 120 AMP FULLY EXPANDABLE CONTROLLER & JOYSTICK FOR POWER SEATING & SPECIALTY CONTROLS

| | | | |
|--------------------------|----------|---|-------|
| <input type="checkbox"/> | ECR120 | R-net PM 120 Amp Expandable Controller (E2377) | \$525 |
| <input type="checkbox"/> | ECRNH | 10, 11 Harness for Expandable Controller (E2313) | \$350 |
| <input type="checkbox"/> | ECRJJC | 10 R-net Multiple Drive Standard Joystick with Color screen | N/C |
| <input type="checkbox"/> | ECRJCL | 10 R-net Multiple Drive Joystick with Color screen and Lighting Operation | \$625 |
| <input type="checkbox"/> | ECRJCTP | 10 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & speed pot | \$725 |
| <input type="checkbox"/> | ECRJCTT | 10 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & profile | \$725 |
| <input type="checkbox"/> | ECRJCTPL | 10 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & speed pot and Lighting Operation | \$825 |

Note 10 Requires the fully expandable R-net PM 120 amp controller (ECR120)
Note 11 Must be ordered with the expandable controller ECR120 to interface with Joystick or OMNI screen

BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)

| | | | |
|--------------------------|------|---|-------|
| <input type="checkbox"/> | EDBT | 12 Bluetooth Mouse Emulator (USB Dongle included) | \$795 |
|--------------------------|------|---|-------|

Note 12 Requires the fully expandable R-net PM 120 amp controller (ECR120)

LIGHTING PACKAGE

| | | | |
|--------------------------|------|---|-------|
| <input type="checkbox"/> | EOLP | 13 LED Light Package (Includes front beams, side flashers, rear tail light with flashers & brake light) | \$995 |
|--------------------------|------|---|-------|

Note 13 Requires upgraded Joystick with Light Operation (ECVJ6KL, ECELJL, ECRJCL, ECRJCTPL or OMNI)

JOYSTICK MOUNT

| | | | |
|--------------------------|-------|--|-------|
| <input type="checkbox"/> | JSMF | Fixed Mount | N/C |
| <input type="checkbox"/> | JMSMA | Swing Away Mount (E1028) | \$345 |
| <input type="checkbox"/> | JSMCM | Center Mount Swing Away (E1028) | \$345 |

JOYSTICK MOUNT SUPPORT

| | | | |
|--------------------------|-------|--|-------|
| <input type="checkbox"/> | JSMFH | Fixed height joystick mount support | STD |
| <input type="checkbox"/> | JSMAH | Adjustable height joystick mount support | \$125 |

JOYSTICK HAND MOUNT

| | | | | | |
|--------------------------|-----|------------------------------------|--------------------------|-----|-------------------------------------|
| <input type="checkbox"/> | HML | Install Joystick on Left hand side | <input type="checkbox"/> | HMR | Install Joystick on Right hand side |
|--------------------------|-----|------------------------------------|--------------------------|-----|-------------------------------------|

JOYSTICK HANDLE

| | | | |
|--------------------------|------|---------------------------------|-------|
| <input type="checkbox"/> | JSH | Stick Handle | STD |
| <input type="checkbox"/> | JBH | Ball Handle (E2323) | \$75 |
| <input type="checkbox"/> | JFBH | Foam Ball Handle (E2323) | \$75 |
| <input type="checkbox"/> | JTH | T-Handle (E2323) | \$125 |
| <input type="checkbox"/> | JGP | Goalpost (E2323) | \$125 |

ATTENDANT DRIVE CONTROL OPTION

| | | | |
|--------------------------|------|--|---------|
| <input type="checkbox"/> | EADC | Attendant Hand Control for R-net EL & PM Controls (E2331) | \$1,075 |
|--------------------------|------|--|---------|

ATTENDANT JOYSTICK HAND MOUNT

| | | | | | |
|--------------------------|-------|---|--------------------------|-------|--|
| <input type="checkbox"/> | EADCL | Install Attendant Joystick on Rear Left hand side | <input type="checkbox"/> | EADCR | Install Attendant Joystick on Rear Right hand side |
|--------------------------|-------|---|--------------------------|-------|--|

ENVIRONMENTAL CONTROL MODULES

| | | | |
|--------------------------|-----|--|-------|
| <input type="checkbox"/> | IOM | 14 IOM Input / Output Module (environment control module) (E2351) | \$995 |
|--------------------------|-----|--|-------|

Note 14 Requires the R-net PM (ECR120) Fully Expandable Controller

ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)

| | | | |
|--------------------------|------|--|---------|
| <input type="checkbox"/> | EDIB | 15 Omni (Enhanced Display & Digital Interface Box with Infrared) | \$1,395 |
|--------------------------|------|--|---------|

Note 15 Allows the switch operation of alternative devices through driver controls.
Requires the R-net PM (ECR120) Fully Expandable Controller

ENHANCED DISPLAY MOUNT

| | | | | | | | | | |
|--------------------------|-------|--------------------------------------|--------------------------|------|------------------------------|--------------------------|------|------------------------------|-----|
| <input type="checkbox"/> | EDSAM | User Swing Away Mount (E1028) | <input type="checkbox"/> | EDML | (Install Display on LH side) | <input type="checkbox"/> | EDMR | (Install Display on RH side) | N/C |
|--------------------------|-------|--------------------------------------|--------------------------|------|------------------------------|--------------------------|------|------------------------------|-----|

POWER OPTIONS & SEATING

The Amyseat is fully adjustable, fully modular, and available with all power options including custom options and specialty controls.

| | | | | |
|--------------------------|-----------|----------|--|---------|
| <input type="checkbox"/> | SAABA | 18 | Amyseat - Seat Frame only | N/C |
| <input type="checkbox"/> | SAPTX | 16, 18 | CG Power Tilt (E1002) | \$4,495 |
| <input type="checkbox"/> | SAPRX | 16,18,19 | Power Recline with Integrated Shear Reduction (ISR) (E1004) | \$5,295 |
| <input type="checkbox"/> | SAPTPRX | 16,18,19 | CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR) (E1007) | \$8,495 |
| <input type="checkbox"/> | SAPESX | 16, 17 | 11" Power Elevating Seat Module for transfer assist (E2300) | \$4,495 |
| <input type="checkbox"/> | ADDPESX | 17 | Module - Add an 11" Power Elevating Seat to either SAPTX, SAPRX or SAPTPRX (E2300) | \$4,495 |
| <input type="checkbox"/> | ADDPESXHD | 18, 20 | Module - Add a Heavy-Duty 11" Power Elevating Seat to either SAPTX, SAPRX or SAPTPRX (E2300) | \$3,495 |
| <input type="checkbox"/> | ADDMR | 17, 19 | Module - Manual Recline with Integrated Shear Reduction (ISR) (E1226) | \$1,495 |

Note 16 These options include the fully adjustable Amyseat (SAABA).

Note 17 The maximum user weight capacity with this option is 300 lbs

Note 18 The maximum user weight capacity with this option is 400 lbs

Note 19 It is recommended to use the Contour Back Support option with the power or manual reclines (STDSB or STDSB/CUSTOM)

Note 20 The Heavy-Duty 11" Power Elevating Seat increases seat to floor height by approximately 1 1/2" (ADDPESXHD)

ELECTRONICS - SINGLE (1) OR DUAL (2) ACTUATOR CONTROLLERS

| | | | | |
|--------------------------|--------|--------|--|---------|
| <input type="checkbox"/> | EPSV2A | 21 | Tilt or Elevating seat activation through 6-key VR2 Hand Control (E2310) | N/C |
| <input type="checkbox"/> | SWTJSS | 22, 23 | Single actuator activation through R-net Electronics or Specialty Controls (E2310) | \$1,095 |
| <input type="checkbox"/> | SWTJSD | 22, 24 | Dual actuator activation through R-net Electronics or Specialty Controls (E2311) | \$1,495 |
| <input type="checkbox"/> | SAC | | Single Actuator Controller (Incl. Reduced Speed with the Power Elevating Seat) | N/C |
| <input type="checkbox"/> | DAC | | Dual Actuator Controller (Incl. Reduced Speed with the Power Elevating Seat) | N/C |

For the SAC and DAC, please select one activation and position from the list below

| | | | | |
|--------------------------|----------|----------|--|-----|
| <input type="checkbox"/> | SWTOGGLE | 23 or 24 | Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation | N/C |
| <input type="checkbox"/> | SWPUSH1 | 23 | Single Push Button Switch (Single Mode: SAC) <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation | N/C |
| <input type="checkbox"/> | SWPUSH2 | 23 or 24 | Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation | N/C |

Note 21 Allows for the activation of a power tilt or the 11" power elevating seat through the 6-key VR2 joystick (ECVJ6K)

Note 22 Requires the R-net EL (ECEL90) or the PM (ECR120) Fully Expandable Controllers

Note 23 Requires the Single Actuator Controller (SAC)

Note 24 Requires the Dual Actuator Controller (DAC)

ELECTRONICS - MULTIPLE ACTUATOR CONTROLLERS

| | | | | |
|---|----------|--------|---|---------|
| <input type="checkbox"/> | MAC | | Multi Function Control Box (Incl. Reduced Speed with the Power Elevating Seat) | N/C |
| Please select one activation and position from the list below | | | | |
| <input type="checkbox"/> | SWMULTI | 25 | 4-Way Toggle Switch (Up to 4 Activations) - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation | N/C |
| <input type="checkbox"/> | SWMULTIT | 25 | Triple Toggle Switch (Up to 5 Activations) - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation | \$145 |
| <input type="checkbox"/> | SWPUSH4 | 25 | 4-Way Push Button Switch - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation | N/C |
| <input type="checkbox"/> | SWPUSH5 | 25 | 5-Way Push Button Switch - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation | \$145 |
| <input type="checkbox"/> | SWTJSM | 25, 26 | Multiple Actuator activation through R-net Electronics or Specialty Controls (E2311) | \$2,295 |

Note 25 Requires the multiple Actuator Controller (MAC)

Note 26 Requires the R-net EL (ECEL90) or the PM (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)

SWITCH ACTIVATION HAND MOUNT

| | | | |
|----------------------|---|---|-----|
| Switch Installation: | <input type="checkbox"/> TSML (Install Switch on LH side) | <input type="checkbox"/> TSMR (Install Switch on RH side) | N/C |
|----------------------|---|---|-----|

PRE-SET SEAT ANGLE (For Non-Reclining Backs)

| | | |
|--------------------------------|--|-----|
| <input type="checkbox"/> SOBAA | Please Select one: <input type="checkbox"/> 86° <input type="checkbox"/> 90° <input type="checkbox"/> 94° <input type="checkbox"/> 98° <input type="checkbox"/> 102° <input type="checkbox"/> 106° <input type="checkbox"/> 110° <input type="checkbox"/> 114° <input type="checkbox"/> 118° <input type="checkbox"/> 122° | N/C |
|--------------------------------|--|-----|

STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"

STD

- SOWN15-20-19 (Width adjustment from 15" to 20" with a maximum Depth of 19")
- SOWN15-20-22 (Width adjustment from 15" to 20" with a maximum Depth of 22")

| | |
|---------------------------------------|--|
| <input type="checkbox"/> 15" (SOWN15) | <input type="checkbox"/> 18" (SOWN18) |
| <input type="checkbox"/> 16" (SOWN16) | <input type="checkbox"/> 19" (SOWN19S) |
| <input type="checkbox"/> 17" (SOWN17) | <input type="checkbox"/> 20" (SOWN20S) |

LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 24"

N/C

- SOWN19-24-22 (Width adjustment from 19" to 24" and Depth range of 18" to 22")

| | |
|--|---------------------------------------|
| <input type="checkbox"/> 19" (SOWN19L) | <input type="checkbox"/> 22" (SOWN22) |
| <input type="checkbox"/> 20" (SOWN20L) | <input type="checkbox"/> 23" (SOWN23) |
| <input type="checkbox"/> 21" (SOWN21) | <input type="checkbox"/> 24" (SOWN24) |

ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22"

| | | | |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> 15" (SODN15) | <input type="checkbox"/> 16" (SODN16) | <input type="checkbox"/> 17" (SODN17) | <input type="checkbox"/> 18" (SODN18) |
| <input type="checkbox"/> 19" (SODN19) | <input type="checkbox"/> 20" (SODN20) | <input type="checkbox"/> 21" (SODN21) | <input type="checkbox"/> 22" (SODN22) |

BACK CANE HEIGHT (This only considers the useful straight portion, and you must consider +3" to the top of the push handles for the total height)

- | | | | |
|---|---|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> 12" (SOBH12) ²⁷ | <input type="checkbox"/> 15" (SOBH15) | <input type="checkbox"/> 18" (SOBH18) | <input type="checkbox"/> 21" (SOBH21) |
| <input type="checkbox"/> 13" (SOBH13) | <input type="checkbox"/> 16" (SOBH16) | <input type="checkbox"/> 19" (SOBH19) | <input type="checkbox"/> 22" (SOBH22) |
| <input type="checkbox"/> 14" (SOBH14) | <input type="checkbox"/> 17" (SOBH17) ²⁸ | <input type="checkbox"/> 20" (SOBH20) | |

Note 27 This back cane height is not available with power options and some specialty controls.

Note 28 17" is the minimum back cane height required with a power or manual recline.

BACK SUPPORT

- | | | |
|---|---|-----------------|
| <input type="checkbox"/> STDB | Standard back support 15" to 24" Wide with a maximum shell height of 22" (For Non-Reclining Backs) | STD |
| <input type="checkbox"/> STDBO | Omission of the Standard Back Support for Non-Reclining Backs | (CREDIT) -\$50 |
| <input type="checkbox"/> STDB/CUSTOM | Standard Back Support for non-reclining backs (Non-Standard Sizes) Specify Width: _____ Depth: _____ | \$195 |
| <input type="checkbox"/> STDSB ²⁹ | Contour back support 15" to 24" Wide with a max. shell height of 22" (For power or manual recline options only) | N/C |
| <input type="checkbox"/> STDSBO | Omission of the Contour Back Support for power or manual recline options only | (CREDIT) -\$100 |
| <input type="checkbox"/> STDSB/CUSTOM ²⁹ | Contour Back Support for power or manual recline options (Non-Standard Sizes) Specify Width: _____ Depth: _____ | \$295 |

Note 29 It is recommended to use the Contour Back Support option with the power or manual reclines (SAPRX, SAPTRX and ADDMR)

BACK SUPPORT HEIGHT (SHELL)

- | | | |
|--|--|--|
| <input type="checkbox"/> 12" (SOBCH12) | <input type="checkbox"/> 16" (SOBCH16) ³⁰ | <input type="checkbox"/> 20" (SOBCH20) |
| <input type="checkbox"/> 14" (SOBCH14) | <input type="checkbox"/> 18" (SOBCH18) | <input type="checkbox"/> 22" (SOBCH22) |

Note 30 With a power or manual recline, the minimum back support shell height is 16".

The space between the bottom of the back and the seat pan is 2" to 3" with a fixed back and 6" to 7" with a recline

ARMRESTS

CANTILEVER - HEIGHT ADJUSTABLE (For Non-Reclining Backs - Choose 2)

- | | | |
|-----------------------------------|---|-----|
| <input type="checkbox"/> SOAFBFLH | Adult Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBFRH | Adult Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBDLH | Adult Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 6" to 22" in 1" increments) | N/C |
| <input type="checkbox"/> SOAFBDRH | Adult Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | N/C |

DUAL POST - HEIGHT ADJUSTABLE (For Non-Reclining Backs - Choose 2)

- | | | |
|-----------------------------------|--|-------|
| <input type="checkbox"/> SOADPFLH | Adult Adjustable Height Dual Post - Full Length Left Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPFRH | Adult Adjustable Height Dual Post - Full Length Right Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPDLH | Adult Adjustable Height Dual Post - Desk Length Left Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPDRH | Adult Adjustable Height Dual Post - Desk Length Right Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |

RECLINING FLIP-UP, HEIGHT ADJUSTABLE WITH EASY RELEASE, TRANSFER HANDLE & SIDE GUARDS (For Reclining Backs - Choose 2)

- | | | |
|-----------------------------------|---|-----|
| <input type="checkbox"/> SOANIFLH | Adult Reclining armrest - Full Length Left Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIFRH | Adult Reclining armrest - Full Length Right Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIDLH | Adult Reclining armrest - Desk Length Left Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIDRH | Adult Reclining armrest - Desk Length Right Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |

ARMPADS

- | | | |
|--|---|-------|
| <input type="checkbox"/> SOWAPD | Desk Length Waterfall (10") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$25 |
| <input type="checkbox"/> SOWAPF | Full Length Waterfall (14") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$25 |
| <input type="checkbox"/> SOFAPD | Desk Length Standard (10") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | STD |
| <input type="checkbox"/> SOFAPF | Full Length Standard (14") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | STD |
| <input type="checkbox"/> SOCAR ³¹ | Arm Trough with Hand Support (18" x 4 1/2") (E2209) - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$115 |

Note 31 Arm Trough Armpads may interfere with Armrests Flipping back.

FOOTRESTS

- | | | |
|--|---|---------|
| <input type="checkbox"/> SOSAAF ³⁶ | Adult Swing-Away Footrests ---- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 80° Select Footrest Range: <input type="checkbox"/> SOFLA10 (10 1/2" - 15 1/2") <input type="checkbox"/> SOFLA14 (14 1/2" - 19 1/2") | STD |
| <input type="checkbox"/> SOAAF ³⁶ | Adult Heavy-Duty Swing-Away footrests ---- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 80° Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 1/2" - 15 1/2") <input type="checkbox"/> SOFLHD14 (14 1/2" - 19 1/2") | \$395 |
| <input type="checkbox"/> ADDPL ^{33, 36} | Adult Power Elevating & Articulating Legrests (E1010) Please Select Function: <input type="checkbox"/> Individual ³⁴ <input type="checkbox"/> Combined ³⁵ Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 1/2" - 15 1/2") <input type="checkbox"/> SOFLPW14 (14 1/2" - 19 1/2") | \$1,895 |

³⁶ Please set the Footrest Length at: _____ "

Note 32 Depending on the seat configuration, this option may not be available.

Note 33 This option includes calf pads

Note 34 Individual legs count as two power functions.

Note 35 Combined legs count as one power function.

Note 36 The Footrest Length is taken from the top of the seat pan to the top of the footplate.

FOOTPLATES & ACCESSORIES

| | | | |
|--------------------------|---------|--|-------|
| <input type="checkbox"/> | SOSFAF | Flip-up Footplates | STD |
| <input type="checkbox"/> | SOAFP | Angle Adjustable & Flip-up Footplates (K0040) | \$150 |
| <input type="checkbox"/> | SOAHL | Heel Loops - pair (E0951) | \$40 |
| <input type="checkbox"/> | SOACPFR | Calf Pads for Footrests with adjustable hardware - pair (E1028) | \$295 |

CENTRE MOUNTS

| | | | |
|--------------------------|---------|---|---------|
| <input type="checkbox"/> | ADDPF | 37,38,39 90° Power Centre Mount Elevating & Articulating Foot Platform (K0108) <input type="checkbox"/> SOFBPW15 (12 ½"- 16 ½") <input type="checkbox"/> SOFBPW19 (16 ½"- 20 ½") | \$2,995 |
| <input type="checkbox"/> | SOAAF90 | 39, 40 90° Fixed Center Mount Interface Bracket Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 ½" - 16 ½") <input type="checkbox"/> SOFBA16 (16 ½" - 20 ½") | N/C |
| <input type="checkbox"/> | SOFUFP | Flip-up one piece Foot Platform | N/C |
| <input type="checkbox"/> | SOSAFP | 39, 41 Center Mount Interface Bracket for Angle Adjustable Split Foot Platform Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 ½" - 16 ½") <input type="checkbox"/> SOFBA16 (16 ½" - 20 ½") | N/C |
| <input type="checkbox"/> | SOAFPFB | Angle Adjustable & Flip-up Split Footplates for center mount (K0040) | \$150 |
| <input type="checkbox"/> | SOACPCM | Calf Pads for Center Mount with adjustable hardware - pair (E1028) | \$195 |

39 **Please set the Foot Platform Length at:** _____ "

Note 37 The power center mount counts as one power function. Please select either (SOFUFP) or (SOAFPFB).

Note 38 This option includes calf pads

Note 39 The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates.

Note 40 Links and attaches the one piece centre mount foot platform to the seat (SOFUFP).

Note 41 Links and attaches the centre mount split footplates to the seat (SOAFPFB).

SEAT POSITIONING

| | | | |
|--------------------------|----------|--|------|
| <input type="checkbox"/> | SOAUTO | 55" Auto Style Buckle Seat Positioning Strap | STD |
| <input type="checkbox"/> | SOAUTO80 | 80" Auto Style Buckle Seat Positioning Strap | \$75 |

HEADREST

| | | | |
|--------------------------|---------|--|-------|
| <input type="checkbox"/> | SONUAHR | Using headrest mounting hardware other than SOSAH or SOMAH located below. Specify: _____ | |
| <input type="checkbox"/> | SOFHRS | Small Curved Headrest Pad 4" x 9" (E0955) | \$225 |
| <input type="checkbox"/> | SOFHRM | Medium Curved Headrest Pad 5" x 10" (E0955) | \$225 |
| <input type="checkbox"/> | SOFHRL | Large Curved Headrest Pad 6" x 11" (E0955) | \$225 |
| <input type="checkbox"/> | SOSAH | Single-Axis Removable Mounting Hardware (E1028) | \$195 |
| <input type="checkbox"/> | SOMAH | Multi-axis Removable Mounting Hardware (E1028) | \$225 |
| <input type="checkbox"/> | SOHRBC | Bracket to Mount on the Contour Back Support (Without Recline for SOSAH or SOMAH) | N/C |
| <input type="checkbox"/> | SOHRSB | Bracket to Mount on the Seat Frame Crossbar (Without Recline for SOSAH or SOMAH) | N/C |
| <input type="checkbox"/> | SOHRPR | Bracket to Mount on the Seat Frame Crossbar (With Power Recline for SOSAH or SOMAH) | N/C |

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed (The frame or back cushion)

LATERAL TRUNK SUPPORTS

| | | | |
|--------------------------|--------|---|-------|
| <input type="checkbox"/> | SOSLS3 | Adjustable Laterals with Small Curved Pads (Pair) - 3" x 5" (E0956) | \$220 |
| <input type="checkbox"/> | SOSLM4 | Adjustable Laterals with Medium Curved Pads (Pair) - 4" x 6" (E0956) | \$220 |
| <input type="checkbox"/> | SOSLL5 | Adjustable Laterals with Large Curved Pads (Pair) - 5" x 7" (E0956) | \$220 |
| <input type="checkbox"/> | SOSLHM | Adjustable Swing-Away Hardware Mounts - Pair (E1028) | \$450 |

Please select one of the lateral pads and the adjustable & removable hardware.

HIP & THIGH SUPPORTS

| | | | |
|--------------------------|----------|---|-------|
| <input type="checkbox"/> | SOHTSS10 | Adjustable Hip & Thigh Support Pads (Pair) - Small 10" x 4" (E0956) | \$225 |
| <input type="checkbox"/> | SOHTSM12 | Adjustable Hip & Thigh Support Pads (Pair) - Medium 12" x 5" (E0956) | \$225 |
| <input type="checkbox"/> | SOHTSL14 | Adjustable Hip & Thigh Support Pads (Pair) - Large 14" x 6" (E0956) | \$225 |
| <input type="checkbox"/> | SOHTSARH | Adjustable and Removable Hip & Thigh Support Hardware - Pair (E1028) | \$425 |

Please select one of the hip & thigh support pads and the adjustable & removable hardware.

SPECIALTY DRIVER CONTROL OPTIONS

| | | | |
|--------------------------|---------|----|---|
| Sip n' Puff Kit | | | |
| <input type="checkbox"/> | QSNP | 42 | Sip n' Puff Kit (E2325) \$1,495 |
| <input type="checkbox"/> | QSNPM | | Adjustable Removable Hardware (E1028) \$225 |
| <input type="checkbox"/> | SOCHR | | Curved Headrest (E0955) \$225 |
| <input type="checkbox"/> | ASNPBTK | | Sip-N-Puff Breath Tube Kit (E2326) \$395 |

| | | | |
|---|----------|----|--|
| Adult - ASL Proximity Head Array | | | |
| <input type="checkbox"/> | QASLHAA | 42 | Adult - ASL Proximity Head Array (E2330) \$3,695 |
| <input type="checkbox"/> | QASLARHA | | Adjustable Removable Hardware (E1028) \$225 |

| | | | |
|---|---------|----|--|
| Adult - Switch-it Proximity Head Array | | | |
| <input type="checkbox"/> | QSIHAA | 42 | Adult - Switch-it Proximity Head Array (E2330) \$3,695 |
| <input type="checkbox"/> | QSIARHA | | Adjustable Removable Hardware (E1028) \$225 |

| | | | |
|--|----------|----|--|
| Proportional Mini joystick chin / lip control package | | | |
| <input type="checkbox"/> | APGDMJC | 43 | Proportional Mini joystick chin / lip control pkg. (E2312) \$2,595 |
| <input type="checkbox"/> | APMJCARH | | Adjustable Removable Hardware (E1028) \$225 |
| <input type="checkbox"/> | SOCHR | | Curved Headrest (E0955) \$225 |

| | | | |
|---|---------|----|--|
| Proportional Mini joystick for Midline Mount | | | |
| <input type="checkbox"/> | APGDMJM | 43 | Proportional Mini joystick for Midline Mount (E2312) \$2,595 |
| <input type="checkbox"/> | APMJMSM | | Midline Swing-away Mount (E1028) \$345 |

| | | | |
|---|---------|----|--|
| Proportional Mini joystick for Armrest Mount | | | |
| <input type="checkbox"/> | APGDMJA | 43 | Proportional Mini joystick for Armrest Mount (E2312) \$2,595 |
| <input type="checkbox"/> | APMJASM | | Swing-away Mount (E1028) \$345 |

| | | | |
|--|-------|----|---|
| Proportional RIM Head Control Package | | | |
| <input type="checkbox"/> | QPHCQ | 42 | Proportional RIM Head Control Package (E2327) \$2,895 |
| <input type="checkbox"/> | QPHCM | | Adjustable Removable Hardware (E1028) \$225 |

Note 42 Requires the Omni Enhanced Display & Digital Interface Box (EDIB)

Note 43 Requires either the environment control module (IOM) or the Omni Enhanced Display & Digital Interface Box (EDIB)

(Required) Options for Specialty Controls

| | | | |
|--------------------------|--------|----|--|
| <input type="checkbox"/> | ECR120 | 44 | R-net PM 120 Amp Expandable Controller (E2377) \$525 |
| <input type="checkbox"/> | ECRNH | 44 | Harness for Expandable Controller (E2313) \$350 |

Note 44 These options are required in addition to any specialty driver controls

(Requires 1 option for Specialty Controls) Omni Display or IOM - Input / Output Module

| | | | |
|--------------------------|------|----|---|
| <input type="checkbox"/> | EDIB | 45 | Omni (Enhanced Display & Digital Interface Box with Infrared) \$1,395 |
| <input type="checkbox"/> | IOM | 46 | IOM Input / Output Module (E2351) \$995 |

Note 45 Compatible with all Specialty Driver Controls. Requires the R-net PM (ECR120) Fully Expandable Controller
This Input Module allows a proportional or switched drive device to be connected to an R-net Control module

Note 46 without using an Omni. It must be ordered with any R-net Remote Joystick.
The IOM does not support Sip-n-Puff, Head Array and the Proportional head control input devices

ENHANCED DISPLAY MOUNT

| | | | | | | | |
|--------------------------|-------|-------------------------------|--------------------------|-----------------------------------|--------------------------|-----------------------------------|-----|
| <input type="checkbox"/> | EDSAM | User Swing Away Mount (E1028) | <input type="checkbox"/> | EDML (Install Display on LH side) | <input type="checkbox"/> | EDMR (Install Display on RH side) | N/C |
|--------------------------|-------|-------------------------------|--------------------------|-----------------------------------|--------------------------|-----------------------------------|-----|

SWITCHES AND OPTIONS

| | | | |
|--------------------------|--------|------------------------------|---------|
| <input type="checkbox"/> | ASCDDT | Hand Held DTT Programmer Pad | \$1,195 |
| <input type="checkbox"/> | ASCPCP | P&G Dongle and PC compatible | \$425 |
| <input type="checkbox"/> | SSBS | Buddy Button Switch (K0108) | \$95 |
| <input type="checkbox"/> | SSDS | Mini-Cup (Disc Switch) | \$150 |
| <input type="checkbox"/> | SSES | Egg Switch-Black | \$110 |
| <input type="checkbox"/> | SSML | Micro Light Switch | \$145 |
| <input type="checkbox"/> | ASCCA5 | CA5 5 switch Adaptor | \$150 |



AMYPOWER™
AMYSYSTEMS (AMYLOR INC.)
 178 West Service Rd.
 Champlain, NY
 12919
 (888) 453-0311