



December 1, 2009

ORDERING INFORMATION PHONE: (888) 453-0311, FAX: (877) 501-8458, WEBSITE: www.amysystems.com

ACCOUNT INFORMATION

Dealer Contact Name: Bill to (Name):
Email Address: Bill to (Location):
Phone Number: Ship to (Name):
Fax Number: Address:
User Name or Number: City:
User Weight: State:
User Height: Zip Code:
Seat Cushion Thickness: P.O. # or Quote:

(Mid-Wheel Configuration) ALLTRACK P4 - (K0868) Group 4 Standard configuration without power options (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPM4-4S-SS, MP614-STD, WCA3, R-net PM 120 Amp Expandable Controller, R-net Multiple Drive Standard Joystick with Color screen.

(Mid-Wheel Configuration) ALLTRACK P4 - (K0877) Group 4 Standard configuration with Single power option (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPM4-4S-SP, MP614-STD, WCA3, R-net PM 120 Amp Expandable Controller, R-net Multiple Drive Standard Joystick with Color screen.

(Mid-Wheel Configuration) ALLTRACK P4 - (K0884) Group 4 Standard configuration with Multiple power options (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPM4-4S-MP, MP614-STD, WCA3, R-net PM 120 Amp Expandable Controller, R-net Multiple Drive Standard Joystick with Color screen.

(Rear-Wheel Configuration) ALLTRACK P4 - (K0868) Group 4 Standard configuration without power options (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPR4-4S-SS, MP614-STD, WCA3, R-net PM 120 Amp Expandable Controller, R-net Multiple Drive Standard Joystick with Color screen.

(Rear-Wheel Configuration) ALLTRACK P4 - (K0877) Group 4 Standard configuration with Single power option (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPR4-4S-SP, MP614-STD, WCA3, R-net PM 120 Amp Expandable Controller, R-net Multiple Drive Standard Joystick with Color screen.

(Rear-Wheel Configuration) ALLTRACK P4 - (K0884) Group 4 Standard configuration with Multiple power options (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPR4-4S-MP, MP614-STD, WCA3, R-net PM 120 Amp Expandable Controller, R-net Multiple Drive Standard Joystick with Color screen.

STANDARD OPTIONS FOR HCPCS CODES (K0868, K0877, K0884)

Offboard battery charger, 12" Cast Wheel Pneumatic with Flat-Free inserts, 6" or 8" Casters, 55" Auto Style Buckle Seat Positioning Strap, Swing-Away Footrests with Flip-up Footplates or a 90° Fixed Center Mount Interface Bracket with a Flip-up one piece Foot Platform, a fixed Joystick Mount, R-net PM 120 Amp Expandable Controller and R-net Multiple Drive Standard Joystick with Color screen.

STANDARD FRAME COLORS

<input type="checkbox"/>	FCCBU	Candy Blue
<input type="checkbox"/>	FCCRE	Candy Red
<input type="checkbox"/>	FCMPL	Midnight Purple
<input type="checkbox"/>	FCOPM	Orange Pearl Metallic
<input type="checkbox"/>	FCRZB	Razzleberry

OPTIONAL FRAME COLORS

<input type="checkbox"/>	FCBOR	Burnt Orange Metallic
<input type="checkbox"/>	FCBLK	Black
<input type="checkbox"/>	FCBAO	Black Opal Metallic
<input type="checkbox"/>	FCYLW	Yellow

MATCHING WHEELS TO THE SHROUD COLOR

<input type="checkbox"/>	FC***-M	Matching Wheels to the Shroud Color	\$195
--------------------------	---------	-------------------------------------	-------

OPTIONAL MOTOR PACKAGE

<input type="checkbox"/>	MP804-OPT	4 - Pole High-Speed Motor Package with a maximum speed of 8.0 MPH (For Rear-Wheel Configuration only)	\$595
--------------------------	-----------	---	-------

TRANSPORT OPTION

<input type="checkbox"/>	TTD4	1	4-Point wheelchair transport brackets	\$350
Note 1 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval. Use these transport brackets only to secure an unoccupied wheelchair during transport.				

BATTERY TRAY AND FRAME SIZE

<input type="checkbox"/>	FS22B	Battery Tray for Group 22NF Batteries (Total base width = 24")	STD
--------------------------	-------	--	-----

BATTERIES

<input type="checkbox"/>	BAT22NFPR	Gel Batteries - Group 22NF (Pair - On chair)	\$705
--------------------------	-----------	--	-------

BATTERY CHARGER

<input type="checkbox"/>	BC8A	Offboard Battery Charger	N/C
<input type="checkbox"/>	BCLES8	Lester 8 amp Offboard Battery Charger (E2367)	\$320

DRIVE WHEEL

<input type="checkbox"/>	DW14PT	14" Cast Wheel Pneumatic Tire	N/C	
<input type="checkbox"/>	DW14PI	14" Cast Wheel Pneumatic with Flat-Free inserts	N/C	
<input type="checkbox"/>	DW12PT	2	12 1/2" Cast Wheel Pneumatic Tire	STD
<input type="checkbox"/>	DW12PI	2	12 1/2" Cast Wheel Pneumatic with Flat-Free inserts	N/C

Note 2 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

FRONT CASTERS (Mid-Wheel Configuration)

<input type="checkbox"/>	FC6S	6" Solid Casters	STD	
<input type="checkbox"/>	FC8PT	3	8" Pneumatic Casters	\$150
<input type="checkbox"/>	FC8PI	3	8" Pneumatic Casters with Flat-Free inserts	\$175

Note 3 Depending on the configuration, 8" front casters may increase seat to floor height by 1/8", and add 1° to the seat angle. The 8" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)

FRONT CASTERS (Rear-Wheel Configuration)

<input type="checkbox"/>	FC8PT	8" Pneumatic Casters	STD	
<input type="checkbox"/>	FC8PI	8" Pneumatic Casters with Flat-Free inserts	N/C	
<input type="checkbox"/>	FC9PT	4	9" Pneumatic Casters	\$150
<input type="checkbox"/>	FC9PI	4	9" Pneumatic Casters with Flat-Free inserts	\$175

Note 4 Depending on the configuration, 9" front casters may increase seat to floor height by 1/8", and add 1° to the seat angle. The 9" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)

SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")

Options for a Seat Only

<input type="checkbox"/>	4	STFH16	16"	(Possible Seat angle of 0° only)
<input type="checkbox"/>	4	STFH17	17"	(Possible Seat angle of 0° and 3°)
<input type="checkbox"/>	4	STFH18	18"	(Possible Seat angle of 0° and 3°)
<input type="checkbox"/>	4	STFH19	19"	(Possible Seat angle of 0°, 3°, 6°, 9°)
<input type="checkbox"/>	4	STFH20	20"	(Possible Seat angle of 0°, 3°, 6°, 9°)

Options for a Power Tilt or a STD Power Elevating Seat

<input type="checkbox"/>	4, 5	STFH1675	16 3/4"	(Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1775	17 3/4"	(Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1825	18 1/4"	(Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1875	18 3/4"	(Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1925	19 1/4"	(Possible Seat angle of 0° only)

Options for a Combo - Power Tilt with a STD Power Elevating Seat

<input type="checkbox"/>	4, 5	STFH1875	18 3/4"	(Possible Seat angle of 0° only)
--------------------------	------	----------	---------	----------------------------------

Note 5 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

PRE-SET SEAT FRAME ANGLE

<input type="checkbox"/>	SFE-0	6	0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
<input type="checkbox"/>	SFE-3	6	3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
<input type="checkbox"/>	SFE-6	6	6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
<input type="checkbox"/>	SFE-9	6	9° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C

Note 6 Please refer to the special notes in the above seat to floor height section to confirm seat angle possibilities.

PG DRIVES 120 AMP FULLY EXPANDABLE CONTROLLER & JOYSTICK FOR POWER SEATING & SPECIALTY CONTROLS

<input type="checkbox"/>	ECR120-STD	R-net PM 120 Amp Expandable Controller (E2377)	STD
<input type="checkbox"/>	ECRNH-STD	7, 8 Harness for Expandable Controller (E2313)	STD
<input type="checkbox"/>	ECRJJC	7 R-net Multiple Drive Standard Joystick with Color screen	STD
<input type="checkbox"/>	ECRJCL	7 R-net Multiple Drive Joystick with Color screen and Lighting Operation	\$625
<input type="checkbox"/>	ECRJCTP	7 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & speed pot	\$725
<input type="checkbox"/>	ECRJCTT	7 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & profile	\$725
<input type="checkbox"/>	ECRJCTPL	7 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & speed pot and Lighting Operation	\$825

Note 7 Requires the fully expandable R-net PM 120 amp controller (ECR120)

Note 8 Must be ordered with the expandable controller ECR120 to interface with Joystick or OMNI screen

BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)

<input type="checkbox"/>	EDBT	9 Bluetooth Mouse Emulator (USB Dongle included)	\$795
--------------------------	------	--	-------

Note 9 Requires the fully expandable R-net PM 120 amp controller (ECR120)

LIGHTING PACKAGE

<input type="checkbox"/>	EOLP	10 LED Light Package (Includes front beams, side flashers, rear tail light with flashers & brake light)	\$995
--------------------------	------	---	-------

Note 10 Requires upgraded Joystick with Light Operation (ECRJCL, ECRJCTPL or OMNI)

JOYSTICK MOUNT

<input type="checkbox"/>	JSMF	Fixed Mount	N/C
<input type="checkbox"/>	JMSA	Swing Away Mount (E1028)	\$345
<input type="checkbox"/>	JSMCM	Center Mount Swing Away (E1028)	\$345

JOYSTICK MOUNT SUPPORT

<input type="checkbox"/>	JSMFH	Fixed height joystick mount support	STD
<input type="checkbox"/>	JMAH	Adjustable height joystick mount support	\$125

JOYSTICK HAND MOUNT

<input type="checkbox"/>	HML	Install Joystick on Left hand side	<input type="checkbox"/>	HMR	Install Joystick on Right hand side
--------------------------	-----	------------------------------------	--------------------------	-----	-------------------------------------

JOYSTICK HANDLE

<input type="checkbox"/>	JSH	Stick Handle	STD
<input type="checkbox"/>	JBH	Ball Handle (E2323)	\$75
<input type="checkbox"/>	JFBH	Foam Ball Handle (E2323)	\$75
<input type="checkbox"/>	JTH	T-Handle (E2323)	\$125
<input type="checkbox"/>	JGP	Goalpost (E2323)	\$125

ATTENDANT DRIVE CONTROL OPTION

<input type="checkbox"/>	EADC	Attendant Hand Control for R-net EL & PM Controls (E2331)	\$1,075
--------------------------	------	---	---------

ATTENDANT JOYSTICK HAND MOUNT

<input type="checkbox"/>	EADCL	Install Attendant Joystick on Rear Left hand side	<input type="checkbox"/>	EADCR	Install Attendant Joystick on Rear Right hand side
--------------------------	-------	---	--------------------------	-------	--

ENVIRONMENTAL CONTROL MODULES

<input type="checkbox"/>	IOM	11 IOM Input / Output Module (environment control module) (E2351)	\$995
--------------------------	-----	---	-------

Note 11 Requires the R-net PM (ECR120) Fully Expandable Controller

ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)

<input type="checkbox"/>	EDIB	12 Omni (Enhanced Display & Digital Interface Box with Infrared)	\$1,395
--------------------------	------	--	---------

Note 12 Allows the switch operation of alternative devices through driver controls.

Requires the R-net PM (ECR120) Fully Expandable Controller

ENHANCED DISPLAY MOUNT

<input type="checkbox"/>	EDSAM	User Swing Away Mount (E1028)	<input type="checkbox"/>	EDML	(Install Display on LH side)	<input type="checkbox"/>	EDMR	(Install Display on RH side)	N/C
--------------------------	-------	-------------------------------	--------------------------	------	------------------------------	--------------------------	------	------------------------------	-----

POWER OPTIONS & SEATING

The Amyseat is fully adjustable, fully modular, and available with all power options including custom options and specialty controls.

<input type="checkbox"/>	SAABA	14	Amyseat - Seat Frame only	N/C
<input type="checkbox"/>	SAPTX	13	CG Power Tilt (E1002)	\$4,495
<input type="checkbox"/>	SAPRX	13,15,16	Power Recline with Integrated Shear Reduction (ISR) (E1004)	\$5,295
<input type="checkbox"/>	SAPTPRX	13,15,16	CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR) (E1007)	\$8,495
<input type="checkbox"/>	SAPESX	13, 14	11" Power Elevating Seat Module for transfer assist (E2300)	\$4,495
<input type="checkbox"/>	ADDPESX	14	Module - Add an 11" Power Elevating Seat to either SAPTX, SAPRX or SAPTPRX (E2300)	\$2,495
<input type="checkbox"/>	ADDMR	15, 16	Module - Manual Recline with Integrated Shear Reduction (ISR) (E1226)	\$995

Note 13 These options include the fully adjustable Amyseat (SAABA).

Note 14 The maximum user weight capacity with this option is 300 lbs

Note 15 This option is not available with the Pediatric Seat Frame (SOWN10-13 and SOWN14-16)

Note 16 It is recommended to order the Contour Back Support option with the power or manual reclines (STDSB)

ELECTRONICS - SINGLE (1) OR DUAL (2) ACTUATOR CONTROLLERS

<input type="checkbox"/>	SWTJSS	17, 18	Single actuator activation through R-net Electronics or Specialty Controls (E2310)	\$1,095
<input type="checkbox"/>	SWTJSD	17, 19	Dual actuator activation through R-net Electronics or Specialty Controls (E2311)	\$1,495
<input type="checkbox"/>	SAC		Single Actuator Controller (Incl. Reduced Speed with the Power Elevating Seat)	N/C
<input type="checkbox"/>	DAC		Dual Actuator Controller (Incl. Reduced Speed with the Power Elevating Seat)	N/C

For the SAC and DAC, please select one activation and position from the list below

<input type="checkbox"/>	SWTOGGLE	18 or 19	Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH1	18	Single Push Button Switch (Single Mode: SAC)	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH2	18 or 19	Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	N/C

Note 17 Requires the R-net PM (ECR120) Fully Expandable Controllers

Note 18 Requires the Single Actuator Controller (SAC)

Note 19 Requires the Dual Actuator Controller (DAC)

ELECTRONICS - MULTIPLE ACTUATOR CONTROLLERS

<input type="checkbox"/>	MAC		Multi Function Control Box (Incl. Reduced Speed with the Power Elevating Seat)	N/C
--------------------------	-----	--	--	-----

Please select one activation and position from the list below

<input type="checkbox"/>	SWMULT1	20	4-Way Toggle Switch (Up to 4 Activations)	-	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWMULTIT	20	Triple Toggle Switch (Up to 5 Activations)	-	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	\$145
<input type="checkbox"/>	SWPUSH4	20	4-Way Push Button Switch	-	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH5	20	5-Way Push Button Switch	-	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	\$145
<input type="checkbox"/>	SWTJSM	20, 21	Multiple Actuator activation through R-net Electronics or Specialty Controls (E2311)				\$2,295

Note 20 Requires the multiple Actuator Controller (MAC)

Note 21 Requires the R-net PM (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)

SWITCH ACTIVATION HAND MOUNT

Switch Installation:	<input type="checkbox"/> TSML (Install Switch on LH side)	<input type="checkbox"/> TSMR (Install Switch on RH side)	N/C
----------------------	---	---	-----

PRE-SET SEAT ANGLE (For Non-Reclining Backs)

<input type="checkbox"/> SOBAA	Please Select one: <input type="checkbox"/> 86° <input type="checkbox"/> 90° <input type="checkbox"/> 94° <input type="checkbox"/> 98° <input type="checkbox"/> 102° <input type="checkbox"/> 106° <input type="checkbox"/> 110° <input type="checkbox"/> 114° <input type="checkbox"/> 118° <input type="checkbox"/> 122°	N/C
--------------------------------	--	-----

PEDIATRIC ADJUSTABLE SEAT WIDTH RANGE BETWEEN 10" AND 16"

STD

<input type="checkbox"/>	SOWN10-13 (Seat to Floor Height increases by 1")		
<input type="checkbox"/>	SOWN14-16 (The center seat pan configuration is different than the 10" - 13" range)		
<input type="checkbox"/>	10" (SOWN10)	<input type="checkbox"/> 13" (SOWN13)	<input type="checkbox"/> 16" (SOWN16)
<input type="checkbox"/>	11" (SOWN11)	<input type="checkbox"/> 14" (SOWN14)	
<input type="checkbox"/>	12" (SOWN12)	<input type="checkbox"/> 15" (SOWN15)	

PEDIATRIC ADJUSTABLE SEAT DEPTH RANGE BETWEEN 10" AND 16"

STD

<input type="checkbox"/>	10" (SODN10)	<input type="checkbox"/> 13" (SODN13)	<input type="checkbox"/> 16" (SODN16)
<input type="checkbox"/>	11" (SODN11)	<input type="checkbox"/> 14" (SODN14)	
<input type="checkbox"/>	12" (SODN12)	<input type="checkbox"/> 15" (SODN15)	

STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"

N/C

<input type="checkbox"/>	SOWN15-20-19 (Width adjustment from 15" to 20" with a maximum Depth of 19")		
<input type="checkbox"/>	15" (SOWN15)	<input type="checkbox"/> 17" (SOWN17)	<input type="checkbox"/> 19" (SOWN19S)
<input type="checkbox"/>	16" (SOWN16)	<input type="checkbox"/> 18" (SOWN18)	<input type="checkbox"/> 20" (SOWN20S)

ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 19"

N/C

<input type="checkbox"/>	15" (SODN15)	<input type="checkbox"/> 16" (SODN16)	<input type="checkbox"/> 17" (SODN17)	<input type="checkbox"/> 18" (SODN18)	<input type="checkbox"/> 19" (SODN19)
--------------------------	--------------	---------------------------------------	---------------------------------------	---------------------------------------	---------------------------------------

BACK CANE HEIGHT (This only considers the useful straight portion, and you must consider +3" to the top of the push handles for the total height)

- | | | | |
|---|---|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> 12" (SOBH12) ²² | <input type="checkbox"/> 15" (SOBH15) | <input type="checkbox"/> 18" (SOBH18) | <input type="checkbox"/> 21" (SOBH21) |
| <input type="checkbox"/> 13" (SOBH13) | <input type="checkbox"/> 16" (SOBH16) | <input type="checkbox"/> 19" (SOBH19) | <input type="checkbox"/> 22" (SOBH22) |
| <input type="checkbox"/> 14" (SOBH14) | <input type="checkbox"/> 17" (SOBH17) ²³ | <input type="checkbox"/> 20" (SOBH20) | |

Note 22 This back cane height is not available with power options and some specialty controls.

Note 23 17" is the minimum back cane height required with a power or manual recline.

BACK SUPPORT (For Reclining back options)

- | | | |
|---|---|-----------------|
| <input type="checkbox"/> STDB | Standard back support 10" to 20" Wide with a maximum shell height of 20" (For Non-Reclining Backs) | STD |
| <input type="checkbox"/> STDBO | Omission of the Standard Back Support for Non-Reclining Backs | (CREDIT) -\$50 |
| <input type="checkbox"/> STDB/CUSTOM | Standard Back Support for non-reclining backs (Non-Standard Sizes) Specify Width: Depth: | \$195 |
| <input type="checkbox"/> STDSB ²⁴ | Contour back support 15" to 20" Wide with a max. shell height of 20" (For power or manual recline options only) | N/C |
| <input type="checkbox"/> STDSBO | Omission of the Contour Back Support for power or manual recline options only | (CREDIT) -\$100 |
| <input type="checkbox"/> STDSB/CUSTOM ²⁴ | Contour Back Support for power or manual recline options (Non-Standard Sizes) Specify Width: Depth: | \$295 |

Note 24 It is recommended to use the Contour Back Support option with the power or manual reclines (SAPRX, SAPTRPX and ADDMR)

BACK SUPPORT HEIGHT (SHELL)

- | | |
|--|--|
| <input type="checkbox"/> 10" (SOBCH10) | <input type="checkbox"/> 16" (SOBCH16) ²⁵ |
| <input type="checkbox"/> 12" (SOBCH12) | <input type="checkbox"/> 18" (SOBCH18) |
| <input type="checkbox"/> 14" (SOBCH14) | <input type="checkbox"/> 20" (SOBCH20) |

With a power or manual recline, the minimum back support shell height is 16".

Note 25 The space between the bottom of the back and the seat pan is 2" to 3" with a fixed back and 6" to 7" with a recline

ARMRESTS**CANTILEVER - HEIGHT ADJUSTABLE (For Non-Reclining Backs - Choose 2)**

- | | | |
|-------------------------------------|---|-----|
| <input type="checkbox"/> SOAFBPFLH | Pediatric Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBPRRH | Pediatric Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBPDHLH | Pediatric Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBPDRH | Pediatric Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBFLH | Adult Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 6" to 22" in 1" increments) | N/C |
| <input type="checkbox"/> SOAFBFRH | Adult Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | N/C |
| <input type="checkbox"/> SOAFBDLH | Adult Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 6" to 22" in 1" increments) | N/C |
| <input type="checkbox"/> SOAFBDRH | Adult Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | N/C |

DUAL POST - HEIGHT ADJUSTABLE (For Non-Reclining Backs - Choose 2)

- | | | |
|-----------------------------------|--|-------|
| <input type="checkbox"/> SOADPPLH | Pediatric Adjustable Height Dual Post - Left Side (Height Adjustable from 8 1/2" - 12") (E0973) | \$115 |
| <input type="checkbox"/> SOADPPRH | Pediatric Adjustable Height Dual Post - Right Side (Height Adjustable from 8 1/2" - 12") (E0973) | \$115 |
| <input type="checkbox"/> SOADPFLH | Adult Adjustable Height Dual Post - Full Length Left Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPFRH | Adult Adjustable Height Dual Post - Full Length Right Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPDLH | Adult Adjustable Height Dual Post - Desk Length Left Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPDRH | Adult Adjustable Height Dual Post - Desk Length Right Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |

RECLINING FLIP-UP, HEIGHT ADJUSTABLE WITH EASY RELEASE, TRANSFER HANDLE & SIDE GUARDS (For Reclining Backs - Choose 2)

- | | | |
|-----------------------------------|---|-----|
| <input type="checkbox"/> SOANIFLH | Adult Reclining armrest - Full Length Left Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIFRH | Adult Reclining armrest - Full Length Right Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIDLH | Adult Reclining armrest - Desk Length Left Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIDRH | Adult Reclining armrest - Desk Length Right Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |

ARMPADS

- | | | |
|--|---|-------|
| <input type="checkbox"/> SOWAPD | Desk Length Waterfall (10") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$25 |
| <input type="checkbox"/> SOWAPF | Full Length Waterfall (14") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$25 |
| <input type="checkbox"/> SOFAPD | Desk Length Standard (10") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | STD |
| <input type="checkbox"/> SOFAPF | Full Length Standard (14") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | STD |
| <input type="checkbox"/> SOCAR ²⁶ | Arm Trough with Hand Support (18" x 4 1/2") (E2209) - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$115 |

Note 26 Arm Trough Armpads may interfere with Armrests Flipping back.

FOOTRESTS

<input type="checkbox"/>	SOPAAF	34	Pediatric Swing-Away Footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° ²⁷ <input type="checkbox"/> 80° ²⁷ <input type="checkbox"/> 90° Select Footrest Range: <input type="checkbox"/> SOFLP5 (5 ½" - 7 ½") <input type="checkbox"/> SOFLP8 (8 ½" - 10 ½") <input type="checkbox"/> SOFLP10 (10 ½" - 15 ½")	STD
<input type="checkbox"/>	SOSA AF	31, 32	Adult Swing-Away Footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° ²⁷ <input type="checkbox"/> 80° Select Footrest Range: <input type="checkbox"/> SOFLA10 (10 ½" - 15 ½") <input type="checkbox"/> SOFLA14 (14 ½" - 19 ½")	N/C
<input type="checkbox"/>	SOAAF	31, 32	Adult Heavy-Duty Swing-Away footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° ²⁷ <input type="checkbox"/> 80° Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 ½" - 15 ½") <input type="checkbox"/> SOFLHD14 (14 ½" - 19 ½")	\$395
<input type="checkbox"/>	ADDPL	28,31,32	Adult Power Elevating & Articulating Legrests (E1010) Please Select Function: <input type="checkbox"/> Individual ²⁹ <input type="checkbox"/> Combined ³⁰ Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 ½" - 15 ½") <input type="checkbox"/> SOFLPW14 (14 ½" - 19 ½")	\$1,895

31 Please set the Footrest Length at: _____ "

Note 27 Depending on the seat configuration, this option may not be available.

Note 28 This option includes calf pads

Note 29 Individual legs count as two power functions.

Note 30 Combined legs count as one power function.

Note 31 The Footrest Length is taken from the top of the seat pan to the top of the footplate.

Note 32 This option is not available with the pediatric seat frame (SOWN10-13 or SOWN14-16)

FOOTPLATES & ACCESSORIES

<input type="checkbox"/>	SOSFAF	Flip-up Footplates	STD
<input type="checkbox"/>	SOAFP	Angle Adjustable & Flip-up Footplates (K0040)	\$150
<input type="checkbox"/>	SOAHL	Heel Loops - pair (E0951)	\$40
<input type="checkbox"/>	SOACPF	Calf Pads for Footrests with adjustable hardware - pair (E1028)	\$295

CENTRE MOUNTS

<input type="checkbox"/>	ADDPF	33, 34, 35, 38	90° Power Centre Mount Elevating & Articulating Foot Platform (K0108) <input type="checkbox"/> SOFBPW15 (12 ½"- 16 ½") <input type="checkbox"/> SOFBPW19 (16 ½"- 20 ½")	\$2,995
<input type="checkbox"/>	SOAAF90	35, 36	90° Fixed Center Mount Interface Bracket Select Foot Platform Range: <input type="checkbox"/> SOFBP7 (7 ½" - 12 ½") <input type="checkbox"/> SOFBA12 (12 ½" - 16 ½") <input type="checkbox"/> SOFBA16 (16 ½" - 20 ½")	N/C
<input type="checkbox"/>	SOFUFP		Flip-up one piece Foot Platform	N/C
<input type="checkbox"/>	SOSAFP	35, 37	Center Mount Interface Bracket for Angle Adjustable Split Foot Platform Select Foot Platform Range: <input type="checkbox"/> SOFBP7 (7 ½" - 12 ½") <input type="checkbox"/> SOFBA12 (12 ½" - 16 ½") <input type="checkbox"/> SOFBA16 (16 ½" - 20 ½")	N/C
<input type="checkbox"/>	SOAFPFB		Angle Adjustable & Flip-up Split Footplates for center mount (K0040)	\$150
<input type="checkbox"/>	SOACPCM		Calf Pads for Center Mount with adjustable hardware - pair (E1028)	\$195

35 Please set the Foot Platform Length at: _____ "

Note 33 The power center mount counts as one power function. Please select either (SOFUFP) or (SOAFPFB).

Note 34 This option includes calf pads

Note 35 The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates.

Note 36 Links and attaches the one piece centre mount foot platform to the seat (SOFUFP).

Note 37 Links and attaches the centre mount split footplates to the seat (SOAFPFB).

Note 38 This option is not available with the pediatric seat frame (SOWN10-13 or SOWN14-16)

SEAT POSITIONING

<input type="checkbox"/>	SOAUTO	55" Auto Style Buckle Seat Positioning Strap	STD
--------------------------	--------	--	-----

HEADREST

<input type="checkbox"/>	SONUAHR	Using headrest mounting hardware other than SOSAH or SOMAH located below. Specify: _____	
<input type="checkbox"/>	SOFHRS	Small Curved Headrest Pad 4" x 9" (E0955)	\$225
<input type="checkbox"/>	SOFHRM	Medium Curved Headrest Pad 5" x 10" (E0955)	\$225
<input type="checkbox"/>	SOFHRL	Large Curved Headrest Pad 6" x 11" (E0955)	\$225
<input type="checkbox"/>	SOSAH	Single-Axis Removable Mounting Hardware (E1028)	\$195
<input type="checkbox"/>	SOMAH	Multi-axis Removable Mounting Hardware (E1028)	\$225
<input type="checkbox"/>	SOHRBC	Bracket to Mount on the Contour Back Support (Without Recline for SOSAH or SOMAH)	N/C
<input type="checkbox"/>	SOHR SB	Bracket to Mount on the Seat Frame Crossbar (Without Recline for SOSAH or SOMAH)	N/C
<input type="checkbox"/>	SOHRPR	Bracket to Mount on the Seat Frame Crossbar (With Power Recline for SOSAH or SOMAH)	N/C

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed (The frame or back cushion)

LATERAL TRUNK SUPPORTS

<input type="checkbox"/>	SOSLS3	Adjustable Laterals with Small Curved Pads (Pair) - 3" x 5" (E0956)	\$220
<input type="checkbox"/>	SOSLM4	Adjustable Laterals with Medium Curved Pads (Pair) - 4" x 6" (E0956)	\$220
<input type="checkbox"/>	SOSLL5	Adjustable Laterals with Large Curved Pads (Pair) - 5" x 7" (E0956)	\$220
<input type="checkbox"/>	SOSLHM	Adjustable Swing-Away Hardware Mounts - Pair (E1028)	\$450

Please select one of the lateral pads and the adjustable & removable hardware.

HIP & THIGH SUPPORTS

<input type="checkbox"/>	SOHTSS10	Adjustable Hip & Thigh Support Pads (Pair) - Small 10" x 4" (E0956)	\$225
<input type="checkbox"/>	SOHTSM12	Adjustable Hip & Thigh Support Pads (Pair) - Medium 12" x 5" (E0956)	\$225
<input type="checkbox"/>	SOHTSL14	Adjustable Hip & Thigh Support Pads (Pair) - Large 14" x 6" (E0956)	\$225
<input type="checkbox"/>	SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware - Pair (E1028)	\$425

Please select one of the hip & thigh support pads and the adjustable & removable hardware.

SPECIALTY DRIVER CONTROL OPTIONS

Sip n' Puff Kit

<input type="checkbox"/>	QSNP	39 Sip n' Puff Kit (E2325)	\$1,495
<input type="checkbox"/>	QSNPM	Adjustable Removable Hardware (E1028)	\$225
<input type="checkbox"/>	SOCHR	Curved Headrest (E0955)	\$225
<input type="checkbox"/>	ASNPBTK	Sip-N-Puff Breath Tube Kit (E2326)	\$395

Pediatric - ASL Proximity Head Array

<input type="checkbox"/>	QASLHAP	39 Pediatric - ASL Proximity Head Array (E2330)	\$3,695
<input type="checkbox"/>	QASLARHP	Adjustable Removable Hardware (E1028)	\$225

Pediatric - Switch-it Proximity Head Array

<input type="checkbox"/>	QSIHAP	39 Pediatric - Switch-it Proximity Head Array (E2330)	\$3,695
<input type="checkbox"/>	QSIARHP	Adjustable Removable Hardware (E1028)	\$225

Proportional Mini joystick chin / lip control package

<input type="checkbox"/>	APGDMJC	40 Proportional Mini joystick chin / lip control pckg. (E2312)	\$2,595
<input type="checkbox"/>	APMJCARH	Adjustable Removable Hardware (E1028)	\$225
<input type="checkbox"/>	SOCHR	Curved Headrest (E0955)	\$225

Proportional Mini joystick for Midline Mount

<input type="checkbox"/>	APGDMJM	40 Proportional Mini joystick for Midline Mount (E2312)	\$2,595
<input type="checkbox"/>	APMJMSM	Midline Swing-away Mount (E1028)	\$345

Proportional Mini joystick for Armrest Mount

<input type="checkbox"/>	APGDMJA	40 Proportional Mini joystick for Armrest Mount (E2312)	\$2,595
<input type="checkbox"/>	APMJASM	Swing-away Mount (E1028)	\$345

Proportional RIM Head Control Package

<input type="checkbox"/>	QPHCQ	39 Proportional RIM Head Control Package (E2327)	\$2,895
<input type="checkbox"/>	QPHCM	Adjustable Removable Hardware (E1028)	\$225

Note 39 Requires the Omni Enhanced Display & Digital Interface Box (EDIB)

Note 40 Requires either the environment control module (IOM) or the Omni Enhanced Display & Digital Interface Box (EDIB)

(Required) Options for Specialty Controls

<input type="checkbox"/>	ECR120	41 R-net PM 120 Amp Expandable Controller (E2377)	\$525
<input type="checkbox"/>	ECRNH	41 Harness for Expandable Controller (E2313)	\$350

Note 41 These options are required in addition to any specialty driver controls

(Requires 1 option for Specialty Controls) Omni Display or IOM - Input / Output Module

<input type="checkbox"/>	EDIB	42 Omni (Enhanced Display & Digital Interface Box with Infrared)	\$1,395
<input type="checkbox"/>	IOM	43 IOM Input / Output Module (E2351)	\$995

Note 42 Compatible with all Specialty Driver Controls. Requires the R-net PM (ECR120) Fully Expandable Controller This Input Module allows a proportional or switched drive device to be connected to an R-net Control module

Note 43 without using an Omni. It must be ordered with any R-net Remote Joystick.

The IOM does not support Sip-n-Puff, Head Array and the Proportional head control input devices

Enhanced Display Mount

<input type="checkbox"/>	EDSAM	User Swing Away Mount (E1028)	<input type="checkbox"/>	EDML (Install Display on LH side)	<input type="checkbox"/>	EDMR (Install Display on RH side)	N/C
--------------------------	-------	-------------------------------	--------------------------	-----------------------------------	--------------------------	-----------------------------------	-----

SWITCHES AND OPTIONS

<input type="checkbox"/>	ASCDT	Hand Held DTT Programmer Pad	\$1,195
<input type="checkbox"/>	ASCPCP	P&G Dongle and PC compatible	\$425
<input type="checkbox"/>	SSBS	Buddy Button Switch (K0108)	\$95
<input type="checkbox"/>	SSDS	Mini Cup (Disc Switch)	\$150
<input type="checkbox"/>	SSES	Egg Switch-Black	\$110
<input type="checkbox"/>	SSML	Micro Light Switch	\$145
<input type="checkbox"/>	ASCCA5	CA5 5 switch Adaptor	\$150