



December 1, 2009

ORDERING INFORMATION PHONE: (888) 453-0311, FAX: (877) 501-8458, WEBSITE: www.amysystems.com

ACCOUNT INFORMATION

Dealer Contact Name: Bill to (Name):
Email Address: Bill to (Location):
Phone Number: Ship to (Name):
Fax Number: Address:
User Name or Number: City:
User Weight: State:
User Height: Zip Code:
Seat Cushion Thickness: P.O. # or Quote:

(Mid-Wheel Configuration) ALLTRACK P - (K0848) Group 3 Standard configuration without power options (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPM-3S-SS, MP592-STD, WCA3, VR2 90A Drive Controller, VR2 Standard 4-Key Joystick.

(Mid-Wheel Configuration) ALLTRACK P - (K0856) Group 3 Standard configuration with Single power option (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPM-3S-SP, MP594-STD, WCA3, VR2 90 Amp Drive Controller, VR2 6-Key Joystick.

(Mid-Wheel Configuration) ALLTRACK P - (K0861) Group 3 Standard configuration with Multiple power options (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPM-3S-MP, MP594-STD, WCA3, R-net EL 90 Amp Expandable Controller, R-net LED Multiple Drive Joystick.

(Rear-Wheel Configuration) ALLTRACK P - (K0848) Group 3 Standard configuration without power options (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPR-3S-SS, MP592-STD, WCA3, VR2 90A Drive Controller, VR2 Standard 4-Key Joystick.

(Rear-Wheel Configuration) ALLTRACK P - (K0856) Group 3 Standard configuration with Single power option (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPR-3S-SP, MP594-STD, WCA3, VR2 90 Amp Drive Controller, VR2 6-Key Joystick.

(Rear-Wheel Configuration) ALLTRACK P - (K0861) Group 3 Standard configuration with Multiple power options (Basic Package)

Table with 3 columns: Item, Description, Price. Includes ATPR-3S-MP, MP594-STD, WCA3, R-net EL 90 Amp Expandable Controller, R-net LED Multiple Drive Joystick.

STANDARD OPTIONS FOR HCPCS CODES (K0848, K0856, K0861)

Offboard battery charger, 12" Cast Wheel Pneumatic with Flat-Free inserts, 6" or 8" Casters, Auto Style Buckle Seat Positioning Strap, Swing-Away Footrests with Flip-up Footplates or a 90° Fixed Center Mount Interface Bracket with a Flip-up one piece Foot Platform and a Fixed Joystick Mount.

**STANDARD FRAME COLORS**

<input type="checkbox"/>	FCCBU	Candy Blue
<input type="checkbox"/>	FCCRE	Candy Red
<input type="checkbox"/>	FCMPL	Midnight Purple
<input type="checkbox"/>	FCOPM	Orange Pearl Metallic
<input type="checkbox"/>	FCRZB	Razzleberry

**OPTIONAL FRAME COLORS**

<input type="checkbox"/>	FCBOR	Burnt Orange Metallic
<input type="checkbox"/>	FCBLK	Black
<input type="checkbox"/>	FCBAO	Black Opal Metallic
<input type="checkbox"/>	FCYLW	Yellow

**MATCHING WHEELS TO THE SHROUD COLOR**

<input type="checkbox"/>	FC***-M	Matching Wheels to the Shroud Color	\$195
--------------------------	---------	-------------------------------------	-------

**OPTIONAL MOTOR PACKAGE**

<input type="checkbox"/>	MP594-OPT	4 - Pole Motor Package with a maximum speed of 5.9 MPH	\$995
<input type="checkbox"/>	MP804-OPT	4 - Pole High-Speed Motor Package with a maximum speed of 8.0 MPH (For Rear-Wheel Configuration only)	\$595

**TRANSPORT OPTION**

<input type="checkbox"/>	TTD4	1	4-Point wheelchair transport brackets	\$350
--------------------------	------	---	---------------------------------------	-------

Note 1 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval. Use these transport brackets only to secure an unoccupied wheelchair during transport.

**BATTERY TRAY AND FRAME SIZE**

<input type="checkbox"/>	FS22B	Battery Tray for Group 22NF Batteries (Total base width = 24")	STD
--------------------------	-------	--	-----

**BATTERIES**

<input type="checkbox"/>	BAT22NFPR	Gel Batteries - Group 22NF (Pair - On chair)	\$705
--------------------------	-----------	--	-------

**BATTERY CHARGER**

<input type="checkbox"/>	BC8A	Offboard Battery Charger	N/C
<input type="checkbox"/>	BCLES8	Lester 8 amp Offboard Battery Charger (E2367)	\$320

**DRIVE WHEEL**

<input type="checkbox"/>	DW14PT	14" Cast Wheel Pneumatic Tire	N/C
<input type="checkbox"/>	DW14PI	14" Cast Wheel Pneumatic with Flat-Free inserts	N/C
<input type="checkbox"/>	DW12PT	2 12 1/2" Cast Wheel Pneumatic Tire	STD
<input type="checkbox"/>	DW12PI	2 12 1/2" Cast Wheel Pneumatic with Flat-Free inserts	N/C

Note 2 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

**FRONT CASTERS (Mid-Wheel Configuration)**

<input type="checkbox"/>	FC6S	6" Solid Casters	STD
<input type="checkbox"/>	FC8PT	3 8" Pneumatic Casters	\$150
<input type="checkbox"/>	FC8PI	3 8" Pneumatic Casters with Flat-Free inserts	\$175

Note 3 Depending on the configuration, 8" front casters may increase seat to floor height by 1/8", and add 1° to the seat angle. The 8" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)

**FRONT CASTERS (Rear-Wheel Configuration)**

<input type="checkbox"/>	FC8PT	8" Pneumatic Casters	STD
<input type="checkbox"/>	FC8PI	8" Pneumatic Casters with Flat-Free inserts	N/C
<input type="checkbox"/>	FC9PT	4 9" Pneumatic Casters	\$150
<input type="checkbox"/>	FC9PI	4 9" Pneumatic Casters with Flat-Free inserts	\$175

Note 4 Depending on the configuration, 9" front casters may increase seat to floor height by 1/8", and add 1° to the seat angle. The 9" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)

**SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")**

**Options for a Seat Only**

<input type="checkbox"/>	4	STFH16	16" (Possible Seat angle of 0° only)
<input type="checkbox"/>	4	STFH17	17" (Possible Seat angle of 0° and 3°)
<input type="checkbox"/>	4	STFH18	18" (Possible Seat angle of 0° and 3°)
<input type="checkbox"/>	4	STFH19	19" (Possible Seat angle of 0°, 3°, 6°, 9°)
<input type="checkbox"/>	4	STFH20	20" (Possible Seat angle of 0°, 3°, 6°, 9°)

**Options for a Power Tilt or a STD Power Elevating Seat**

<input type="checkbox"/>	4, 5	STFH1675	16 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1775	17 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1825	18 1/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1875	18 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1925	19 1/4" (Possible Seat angle of 0° only)

**Options for a Combo - Power Tilt with a STD Power Elevating Seat**

<input type="checkbox"/>	4, 5	STFH1875	18 3/4" (Possible Seat angle of 0° only)
--------------------------	------	----------	--

Note 5 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

**PRE-SET SEAT FRAME ANGLE**

<input type="checkbox"/>	SFE-0	6	0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
<input type="checkbox"/>	SFE-3	6	3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
<input type="checkbox"/>	SFE-6	6	6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
<input type="checkbox"/>	SFE-9	6	9° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C

Note 6 Please refer to the special notes in the above seat to floor height section to confirm seat angle possibilities.

**PG DRIVES 90 AMP STANDARD CONTROLLER & JOYSTICK**

<input type="checkbox"/>	ECV902A	VR2 90 Amp Drive Controller	STD
<input type="checkbox"/>	ECVJ4K	7 VR2 Standard 4-Key Joystick	STD
<input type="checkbox"/>	ECVJ6K	7 VR2 6-Key Joystick (Allows for a single power option to operate through this joystick)	\$250
<input type="checkbox"/>	ECVJ9KL	7 VR2 9-Key Joystick with Lighting Operation (Allows for a single power function to operate through this joystick)	\$350

**Note 7 Requires the VR2 90A Drive Control (ECV902A)**

**PG DRIVES 90 AMP FULLY EXPANDABLE CONTROLLER & JOYSTICK FOR POWER SEATING & SPECIALTY CONTROLS**

<input type="checkbox"/>	ECEL90	R-net EL 90 Amp Expandable Controller <b>(E2377)</b>	\$425
<input type="checkbox"/>	ECRNH	8, 9 Harness for Expandable Controller <b>(E2313)</b>	\$350
<input type="checkbox"/>	ECELJ	8 R-net EL LED Multiple Drive Joystick	N/C
<input type="checkbox"/>	ECELJL	8 R-net EL LED Multiple Drive Joystick with Lighting Operation	\$525

**Note 8 Requires the fully expandable EL 90 amp controller (ECEL90)**  
**Note 9 Must be ordered with the expandable controller ECEL90 to interface with Joystick or OMNI screen**

**PG DRIVES 120 AMP FULLY EXPANDABLE CONTROLLER & JOYSTICK FOR POWER SEATING & SPECIALTY CONTROLS**

<input type="checkbox"/>	ECR120	R-net PM 120 Amp Expandable Controller <b>(E2377)</b>	\$525
<input type="checkbox"/>	ECRNH	10, 11 Harness for Expandable Controller <b>(E2313)</b>	\$350
<input type="checkbox"/>	ECRJJC	10 R-net Multiple Drive Standard Joystick with Color screen	N/C
<input type="checkbox"/>	ECRJCL	10 R-net Multiple Drive Joystick with Color screen and Lighting Operation	\$625
<input type="checkbox"/>	ECRJCTP	10 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & speed pot	\$725
<input type="checkbox"/>	ECRJCTT	10 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & profile	\$725
<input type="checkbox"/>	ECRJCTPL	10 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & speed pot and Lighting Operation	\$825

**Note 10 Requires the fully expandable R-net PM 120 amp controller (ECR120)**  
**Note 11 Must be ordered with the expandable controller ECR120 to interface with Joystick or OMNI screen**

**BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)**

<input type="checkbox"/>	EDBT	12 Bluetooth Mouse Emulator (USB Dongle included)	\$795
--------------------------	------	---	-------

**Note 12 Requires the fully expandable R-net PM 120 amp controller (ECR120)**

**LIGHTING PACKAGE**

<input type="checkbox"/>	EOLP	13 LED Light Package (Includes front beams, side flashers, rear tail light with flashers & brake light)	\$995
--------------------------	------	---	-------

**Note 13 Requires upgraded Joystick with Light Operation (ECVJ6KL, ECELJL, ECRJCL, ECRJCTPL or OMNI)**

**JOYSTICK MOUNT**

<input type="checkbox"/>	JSMF	Fixed Mount	N/C
<input type="checkbox"/>	JMSMA	Swing Away Mount <b>(E1028)</b>	\$345
<input type="checkbox"/>	JSMCM	Center Mount Swing Away <b>(E1028)</b>	\$345

**JOYSTICK MOUNT SUPPORT**

<input type="checkbox"/>	JSMFH	Fixed height joystick mount support	STD
<input type="checkbox"/>	JSMAH	Adjustable height joystick mount support	\$125

**JOYSTICK HAND MOUNT**

<input type="checkbox"/>	HML	Install Joystick on Left hand side	<input type="checkbox"/>	HMR	Install Joystick on Right hand side
--------------------------	-----	------------------------------------	--------------------------	-----	-------------------------------------

**JOYSTICK HANDLE**

<input type="checkbox"/>	JSH	Stick Handle	STD
<input type="checkbox"/>	JBH	Ball Handle <b>(E2323)</b>	\$75
<input type="checkbox"/>	JFBH	Foam Ball Handle <b>(E2323)</b>	\$75
<input type="checkbox"/>	JTH	T-Handle <b>(E2323)</b>	\$125
<input type="checkbox"/>	JGP	Goalpost <b>(E2323)</b>	\$125

**ATTENDANT DRIVE CONTROL OPTION**

<input type="checkbox"/>	EADC	Attendant Hand Control for R-net EL & PM Controls <b>(E2331)</b>	\$1,075
--------------------------	------	--	---------

**ATTENDANT JOYSTICK HAND MOUNT**

<input type="checkbox"/>	EADCL	Install Attendant Joystick on Rear Left hand side	<input type="checkbox"/>	EADCR	Install Attendant Joystick on Rear Right hand side
--------------------------	-------	---	--------------------------	-------	--

**ENVIRONMENTAL CONTROL MODULES**

<input type="checkbox"/>	IOM	14 IOM Input / Output Module (environment control module) <b>(E2351)</b>	\$995
--------------------------	-----	--	-------

**Note 14 Requires the R-net PM (ECR120) Fully Expandable Controller**

**ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)**

<input type="checkbox"/>	EDIB	15 Omni (Enhanced Display & Digital Interface Box with Infrared)	\$1,395
--------------------------	------	--	---------

**Note 15 Allows the switch operation of alternative devices through driver controls.**  
**Requires the R-net PM (ECR120) Fully Expandable Controller**

**ENHANCED DISPLAY MOUNT**

<input type="checkbox"/>	EDSAM	User Swing Away Mount <b>(E1028)</b>	<input type="checkbox"/>	EDML	(Install Display on LH side)	<input type="checkbox"/>	EDMR	(Install Display on RH side)	N/C
--------------------------	-------	--------------------------------------	--------------------------	------	------------------------------	--------------------------	------	------------------------------	-----

**POWER OPTIONS & SEATING**

The Amyseat is fully adjustable, fully modular, and available with all power options including custom options and specialty controls.

Table with 4 columns: Option code, Quantity, Description, and Price. Includes options like SAABA, SAPTX, SAPRX, SAPTPRX, SAPHESX, ADDPESX, and ADDMR.

Note 16 These options include the fully adjustable Amyseat (SAABA).

Note 17 The maximum user weight capacity with this option is 300 lbs

Note 18 This option is not available with the Pediatric Seat Frame (SOWN10-13 and SOWN14-16)

Note 19 It is recommended to order the Contour Back Support option with the power or manual reclines (STDSB)

**ELECTRONICS - SINGLE (1) OR DUAL (2) ACTUATOR CONTROLLERS**

Table with 4 columns: Option code, Quantity, Description, and Price. Includes options like EPSV2A, SWTJSS, SWTJSD, SAC, and DAC.

For the SAC and DAC, please select one activation and position from the list below

Table with 4 columns: Option code, Quantity, Description, and Price. Includes options like SWTOGGLE, SWPUSH1, and SWPUSH2.

Note 20 Allows for the activation of a power tilt or the 11" power elevating seat through the VR2 6-key joystick (ECVJ6K)

Note 21 Requires the R-net EL (ECEL90) or the PM (ECR120) Fully Expandable Controllers

Note 22 Requires the Single Actuator Controller (SAC)

Note 23 Requires the Dual Actuator Controller (DAC)

**ELECTRONICS - MULTIPLE ACTUATOR CONTROLLERS**

Table with 4 columns: Option code, Description, and Price. Includes option MAC.

Please select one activation and position from the list below

Table with 4 columns: Option code, Quantity, Description, and Price. Includes options like SWMULTI, SWMULTIT, SWPUSH4, SWPUSH5, and SWTJSM.

Note 24 Requires the multiple Actuator Controller (MAC)

Note 25 Requires the R-net EL (ECEL90) or the PM (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)

**SWITCH ACTIVATION HAND MOUNT**

Table with 4 columns: Switch Installation, Option code, Description, and Price. Includes options TSML and TSMR.

**PRE-SET SEAT ANGLE (For Non-Reclining Backs)**

Table with 4 columns: Option code, Description, and Price. Includes option SOBAA.

**PEDIATRIC ADJUSTABLE SEAT WIDTH RANGE BETWEEN 10" AND 16"**

STD

Table with 4 columns: Option code, Description, and Price. Includes options SOWN10-13 and SOWN14-16.

**PEDIATRIC ADJUSTABLE SEAT DEPTH RANGE BETWEEN 10" AND 16"**

STD

Table with 4 columns: Option code, Description, and Price. Includes options SODN10, SODN11, SODN12, SODN13, SODN14, SODN15, and SODN16.

**STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"**

N/C

Table with 4 columns: Option code, Description, and Price. Includes options SOWN15-20-19, SOWN15, SOWN16, SOWN17, SOWN18, SOWN19S, and SOWN20S.

**ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 19"**

N/C

Table with 4 columns: Option code, Description, and Price. Includes options SODN15, SODN16, SODN17, SODN18, and SODN19.

**BACK CANE HEIGHT (This only considers the useful straight portion, and you must consider +3" to the top of the push handles for the total height)**

- |   |   |                                       |                                       |
|---|---|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> 12" (SOBH12) <sup>26</sup> | <input type="checkbox"/> 15" (SOBH15)               | <input type="checkbox"/> 18" (SOBH18) | <input type="checkbox"/> 21" (SOBH21) |
| <input type="checkbox"/> 13" (SOBH13)               | <input type="checkbox"/> 16" (SOBH16)               | <input type="checkbox"/> 19" (SOBH19) | <input type="checkbox"/> 22" (SOBH22) |
| <input type="checkbox"/> 14" (SOBH14)               | <input type="checkbox"/> 17" (SOBH17) <sup>27</sup> | <input type="checkbox"/> 20" (SOBH20) |                                       |

Note 26 This back cane height is not available with power options and some specialty controls.

Note 27 17" is the minimum back cane height required with a power or manual recline.

**BACK SUPPORT (For Reclining back options)**

- |   |   |                 |
|---|---|-----------------|
| <input type="checkbox"/> STDB                       | Standard back support 10" to 20" Wide with a maximum shell height of 20" (For Non-Reclining Backs)              | STD             |
| <input type="checkbox"/> STDBO                      | Omission of the Standard Back Support for Non-Reclining Backs   | (CREDIT) -\$50  |
| <input type="checkbox"/> STDB/CUSTOM                | Standard Back Support for non-reclining backs (Non-Standard Sizes) Specify Width: Depth:                        | \$195           |
| <input type="checkbox"/> STDSB <sup>28</sup>        | Contour back support 15" to 20" Wide with a max. shell height of 20" (For power or manual recline options only) | N/C             |
| <input type="checkbox"/> STDSBO                     | Omission of the Contour Back Support for power or manual recline options only                                   | (CREDIT) -\$100 |
| <input type="checkbox"/> STDSB/CUSTOM <sup>28</sup> | Contour Back Support for power or manual recline options (Non-Standard Sizes) Specify Width: Depth:             | \$295           |

Note 28 It is recommended to use the Contour Back Support option with the power or manual reclines (SAPRX, SAPTPRX and ADDMR)

**BACK SUPPORT HEIGHT (SHELL)**

- |  |  |
|--|--|
| <input type="checkbox"/> 10" (SOBCH10) | <input type="checkbox"/> 16" (SOBCH16) <sup>29</sup> |
| <input type="checkbox"/> 12" (SOBCH12) | <input type="checkbox"/> 18" (SOBCH18)               |
| <input type="checkbox"/> 14" (SOBCH14) | <input type="checkbox"/> 20" (SOBCH20)               |

Note 29 With a power or manual recline, the minimum back support shell height is 16".

The space between the bottom of the back and the seat pan is 2" to 3" with a fixed back and 6" to 7" with a recline

**ARMRESTS****CANTILEVER - HEIGHT ADJUSTABLE (For Non-Reclining Backs - Choose 2)**

- |                                    |   |     |
|------------------------------------|---|-----|
| <input type="checkbox"/> SOAFBPFLH | Pediatric Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 6" to 22" in 1" increments)  | STD |
| <input type="checkbox"/> SOAFBFRH  | Pediatric Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBPDH  | Pediatric Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 6" to 22" in 1" increments)  | STD |
| <input type="checkbox"/> SOAFBPDRH | Pediatric Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBFLH  | Adult Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 6" to 22" in 1" increments)      | N/C |
| <input type="checkbox"/> SOAFBFRH  | Adult Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 6" to 22" in 1" increments)     | N/C |
| <input type="checkbox"/> SOAFBDLH  | Adult Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 6" to 22" in 1" increments)      | N/C |
| <input type="checkbox"/> SOAFBDRH  | Adult Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 6" to 22" in 1" increments)     | N/C |

**DUAL POST - HEIGHT ADJUSTABLE (For Non-Reclining Backs - Choose 2)**

- |                                   |  |       |
|-----------------------------------|--|-------|
| <input type="checkbox"/> SOADPPLH | Pediatric Adjustable Height Dual Post - Left Side (Height Adjustable from 8 1/2" - 12") (E0973)              | \$115 |
| <input type="checkbox"/> SOADPPRH | Pediatric Adjustable Height Dual Post - Right Side (Height Adjustable from 8 1/2" - 12") (E0973)             | \$115 |
| <input type="checkbox"/> SOADPFLH | Adult Adjustable Height Dual Post - Full Length Left Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973)  | \$115 |
| <input type="checkbox"/> SOADPFRH | Adult Adjustable Height Dual Post - Full Length Right Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPDLH | Adult Adjustable Height Dual Post - Desk Length Left Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973)  | \$115 |
| <input type="checkbox"/> SOADPDRH | Adult Adjustable Height Dual Post - Desk Length Right Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |

**RECLINING FLIP-UP, HEIGHT ADJUSTABLE WITH EASY RELEASE, TRANSFER HANDLE & SIDE GUARDS (For Reclining Backs - Choose 2)**

- |                                   |   |     |
|-----------------------------------|---|-----|
| <input type="checkbox"/> SOANIFLH | Adult Reclining armrest - Full Length Left Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments)  | N/C |
| <input type="checkbox"/> SOANIFRH | Adult Reclining armrest - Full Length Right Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIDLH | Adult Reclining armrest - Desk Length Left Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments)  | N/C |
| <input type="checkbox"/> SOANIDRH | Adult Reclining armrest - Desk Length Right Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |

**ARMPADS**

- |  |   |       |
|--|---|-------|
| <input type="checkbox"/> SOWAPD              | Desk Length Waterfall (10") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side                         | \$25  |
| <input type="checkbox"/> SOWAPF              | Full Length Waterfall (14") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side                         | \$25  |
| <input type="checkbox"/> SOFAPD              | Desk Length Standard (10") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side                          | STD   |
| <input type="checkbox"/> SOFAPF              | Full Length Standard (14") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side                          | STD   |
| <input type="checkbox"/> SOCAR <sup>30</sup> | Arm Trough with Hand Support (18" x 4 1/2") (E2209) - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$115 |

Note 30 Arm Trough Armpads may interfere with Armrests Flipping back.

### FOOTRESTS

<input type="checkbox"/>	SOPAAF	35	Pediatric Swing-Away Footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <sup>31</sup> <input type="checkbox"/> 80° <sup>31</sup> <input type="checkbox"/> 90° Select Footrest Range: <input type="checkbox"/> SOFLP5 (5 ½" - 7 ½") <input type="checkbox"/> SOFLP8 (8 ½" - 10 ½") <input type="checkbox"/> SOFLP10 (10 ½" - 15 ½")	STD
<input type="checkbox"/>	SOSA AF	35, 36	Adult Swing-Away Footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <sup>31</sup> <input type="checkbox"/> 80° Select Footrest Range: <input type="checkbox"/> SOFLA10 (10 ½" - 15 ½") <input type="checkbox"/> SOFLA14 (14 ½" - 19 ½")	N/C
<input type="checkbox"/>	SOAAF	35, 36	Adult <b>Heavy-Duty</b> Swing-Away footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <sup>31</sup> <input type="checkbox"/> 80° Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 ½" - 15 ½") <input type="checkbox"/> SOFLHD14 (14 ½" - 19 ½")	\$395
<input type="checkbox"/>	ADDPL	32,35,36	Adult Power Elevating & Articulating Legrests ( <b>E1010</b> ) Please Select Function: <input type="checkbox"/> Individual <sup>33</sup> <input type="checkbox"/> Combined <sup>34</sup> Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 ½" - 15 ½") <input type="checkbox"/> SOFLPW14 (14 ½" - 19 ½")	\$1,895

35 Please set the Footrest Length at: \_\_\_\_\_ "

Note 31 Depending on the seat configuration, this option may not be available.

Note 32 This option includes calf pads

Note 33 Individual legs count as two power functions.

Note 34 Combined legs count as one power function.

Note 35 The Footrest Length is taken from the top of the seat pan to the top of the footplate.

Note 36 This option is not available with the pediatric seat frame (SOWN10-13 or SOWN14-16)

### FOOTPLATES & ACCESSORIES

<input type="checkbox"/>	SOSFAF	Flip-up Footplates	STD
<input type="checkbox"/>	SOAFP	Angle Adjustable & Flip-up Footplates ( <b>K0040</b> )	\$150
<input type="checkbox"/>	SOAHL	Heel Loops - pair ( <b>E0951</b> )	\$40
<input type="checkbox"/>	SOACPF	Calf Pads for Footrests with adjustable hardware - pair ( <b>E1028</b> )	\$295

### CENTRE MOUNTS

<input type="checkbox"/>	ADDPF	37, 38, 39, 42	90° Power Centre Mount Elevating & Articulating Foot Platform ( <b>K0108</b> ) <input type="checkbox"/> SOFBPW15 (12 ½"- 16 ½") <input type="checkbox"/> SOFBPW19 (16 ½"- 20 ½")	\$2,995
<input type="checkbox"/>	SOAAF90	39, 40	90° Fixed Center Mount Interface Bracket Select Foot Platform Range: <input type="checkbox"/> SOFBP7 (7 ½" - 12 ½") <input type="checkbox"/> SOFBA12 (12 ½" - 16 ½") <input type="checkbox"/> SOFBA16 (16 ½" - 20 ½")	N/C
<input type="checkbox"/>	SOFUFP		Flip-up one piece Foot Platform	N/C
<input type="checkbox"/>	SOSAFP	39, 41	Center Mount Interface Bracket for Angle Adjustable Split Foot Platform Select Foot Platform Range: <input type="checkbox"/> SOFBP7 (7 ½" - 12 ½") <input type="checkbox"/> SOFBA12 (12 ½" - 16 ½") <input type="checkbox"/> SOFBA16 (16 ½" - 20 ½")	N/C
<input type="checkbox"/>	SOAFPFB		Angle Adjustable & Flip-up Split Footplates for center mount ( <b>K0040</b> )	\$150
<input type="checkbox"/>	SOACPCM		Calf Pads for Center Mount with adjustable hardware - pair ( <b>E1028</b> )	\$195

39 Please set the Foot Platform Length at: \_\_\_\_\_ "

Note 37 The power center mount counts as one power function. Please select either (SOFUFP) or (SOAFPFB).

Note 38 This option includes calf pads

Note 39 The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates.

Note 40 Links and attaches the one piece centre mount foot platform to the seat (SOFUFP).

Note 41 Links and attaches the centre mount split footplates to the seat (SOAFPFB).

Note 42 This option is not available with the pediatric seat frame (SOWN10-13 or SOWN14-16)

### SEAT POSITIONING

<input type="checkbox"/>	SOAUTO	55" Auto Style Buckle Seat Positioning Strap	STD
--------------------------	--------	--	-----

### HEADREST

<input type="checkbox"/>	SONUAHR	Using headrest mounting hardware other than SOSAH or SOMAH located below. Specify: _____	
<input type="checkbox"/>	SOFHRS	Small Curved Headrest Pad 4" x 9" ( <b>E0955</b> )	\$225
<input type="checkbox"/>	SOFHRM	Medium Curved Headrest Pad 5" x 10" ( <b>E0955</b> )	\$225
<input type="checkbox"/>	SOFHRL	Large Curved Headrest Pad 6" x 11" ( <b>E0955</b> )	\$225
<input type="checkbox"/>	SOSAH	Single-Axis Removable Mounting Hardware ( <b>E1028</b> )	\$195
<input type="checkbox"/>	SOMAH	Multi-axis Removable Mounting Hardware ( <b>E1028</b> )	\$225
<input type="checkbox"/>	SOHRBC	Bracket to Mount on the Contour Back Support (Without Recline for SOSAH or SOMAH)	N/C
<input type="checkbox"/>	SOHRBS	Bracket to Mount on the Seat Frame Crossbar (Without Recline for SOSAH or SOMAH)	N/C
<input type="checkbox"/>	SOHRPR	Bracket to Mount on the Seat Frame Crossbar ( <b>With</b> Power Recline for SOSAH or SOMAH)	N/C

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed (The frame or back cushion)

### LATERAL TRUNK SUPPORTS

<input type="checkbox"/>	SOSLS3	Adjustable Laterals with Small Curved Pads (Pair) - 3" x 5" (E0956)	\$220
<input type="checkbox"/>	SOSLM4	Adjustable Laterals with Medium Curved Pads (Pair) - 4" x 6" (E0956)	\$220
<input type="checkbox"/>	SOSLL5	Adjustable Laterals with Large Curved Pads (Pair) - 5" x 7" (E0956)	\$220
<input type="checkbox"/>	SOSLHM	Adjustable Swing-Away Hardware Mounts - Pair (E1028)	\$450

Please select one of the lateral pads and the adjustable & removable hardware.

### HIP & THIGH SUPPORTS

<input type="checkbox"/>	SOHTSS10	Adjustable Hip & Thigh Support Pads (Pair) - Small 10" x 4" (E0956)	\$225
<input type="checkbox"/>	SOHTSM12	Adjustable Hip & Thigh Support Pads (Pair) - Medium 12" x 5" (E0956)	\$225
<input type="checkbox"/>	SOHTSL14	Adjustable Hip & Thigh Support Pads (Pair) - Large 14" x 6" (E0956)	\$225
<input type="checkbox"/>	SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware - Pair (E1028)	\$425

Please select one of the hip & thigh support pads and the adjustable & removable hardware.

### SPECIALTY DRIVER CONTROL OPTIONS

#### Sip n' Puff Kit

<input type="checkbox"/>	QSNP	43 Sip n' Puff Kit (E2325)	\$1,495
<input type="checkbox"/>	QSNPM	Adjustable Removable Hardware (E1028)	\$225
<input type="checkbox"/>	SOCHR	Curved Headrest (E0955)	\$225
<input type="checkbox"/>	ASNPBTK	Sip-N-Puff Breath Tube Kit (E2326)	\$395

#### Pediatric - ASL Proximity Head Array

<input type="checkbox"/>	QASLHAP	43 Pediatric - ASL Proximity Head Array (E2330)	\$3,695
<input type="checkbox"/>	QASLARHP	Adjustable Removable Hardware (E1028)	\$225

#### Pediatric - Switch-it Proximity Head Array

<input type="checkbox"/>	QSIHAP	43 Pediatric - Switch-it Proximity Head Array (E2330)	\$3,695
<input type="checkbox"/>	QSIARHP	Adjustable Removable Hardware (E1028)	\$225

#### Proportional Mini joystick chin / lip control package

<input type="checkbox"/>	APGDMJC	44 Proportional Mini joystick chin / lip control pckg. (E2312)	\$2,595
<input type="checkbox"/>	APMJCARH	Adjustable Removable Hardware (E1028)	\$225
<input type="checkbox"/>	SOCHR	Curved Headrest (E0955)	\$225

#### Proportional Mini joystick for Midline Mount

<input type="checkbox"/>	APGDMJM	44 Proportional Mini joystick for Midline Mount (E2312)	\$2,595
<input type="checkbox"/>	APMJMSM	Midline Swing-away Mount (E1028)	\$345

#### Proportional Mini joystick for Armrest Mount

<input type="checkbox"/>	APGDMJA	44 Proportional Mini joystick for Armrest Mount (E2312)	\$2,595
<input type="checkbox"/>	APMJASM	Swing-away Mount (E1028)	\$345

#### Proportional RIM Head Control Package

<input type="checkbox"/>	QPHCQ	43 Proportional RIM Head Control Package (E2327)	\$2,895
<input type="checkbox"/>	QPHCM	Adjustable Removable Hardware (E1028)	\$225

Note 43 Requires the Omni Enhanced Display & Digital Interface Box (EDIB)

Note 44 Requires either the environment control module (IOM) or the Omni Enhanced Display & Digital Interface Box (EDIB)

### (Required) Options for Specialty Controls

<input type="checkbox"/>	ECR120	45 R-net PM 120 Amp Expandable Controller (E2377)	\$525
<input type="checkbox"/>	ECRNH	45 Harness for Expandable Controller (E2313)	\$350

Note 45 These options are required in addition to any specialty driver controls

### (Requires 1 option for Specialty Controls) Omni Display or IOM - Input / Output Module

<input type="checkbox"/>	EDIB	46 Omni (Enhanced Display & Digital Interface Box with Infrared)	\$1,395
<input type="checkbox"/>	IOM	47 IOM Input / Output Module (E2351)	\$995

Note 46 Compatible with all Specialty Driver Controls. Requires the R-net PM (ECR120) Fully Expandable Controller This Input Module allows a proportional or switched drive device to be connected to an R-net Control module without using an Omni. It must be ordered with any R-net Remote Joystick.

Note 47 The IOM does not support Sip-n-Puff, Head Array and the Proportional head control input devices

### Enhanced Display Mount

<input type="checkbox"/>	EDSAM	User Swing Away Mount (E1028)	<input type="checkbox"/>	EDML (Install Display on LH side)	<input type="checkbox"/>	EDMR (Install Display on RH side)	N/C
--------------------------	-------	-------------------------------	--------------------------	-----------------------------------	--------------------------	-----------------------------------	-----

### SWITCHES AND OPTIONS

<input type="checkbox"/>	ASCDT	Hand Held DTT Programmer Pad	\$1,195
<input type="checkbox"/>	ASCPCP	P&G Dongle and PC compatible	\$425
<input type="checkbox"/>	SSBS	Buddy Button Switch (K0108)	\$95
<input type="checkbox"/>	SSDS	Mini Cup (Disc Switch)	\$150
<input type="checkbox"/>	SSES	Egg Switch-Black	\$110
<input type="checkbox"/>	SSML	Micro Light Switch	\$145
<input type="checkbox"/>	ASCCA5	CA5 5 switch Adaptor	\$150