



December 1, 2009

ORDERING INFORMATION PHONE: (888) 453-0311, FAX: (877) 501-8458, WEBSITE: www.amysystems.com

ACCOUNT INFORMATION

Dealer Contact Name: Bill to (Name):
Email Address: Bill to (Location):
Phone Number: Ship to (Name):
Fax Number: Address:
User Name or Number: City:
User Weight: State:
User Height: Zip Code:
Seat Cushion Thickness: P.O. # or Quote:

ALLTRACK R4 - (K0868) Group 4 Standard configuration without power options (Basic Package)

- ATR4-4S-SS ALLTRACK R4 Power Wheelchair (K0868 - Group 4 STD, No Power) \$9,995
MP614-STD Motor Package with a maximum speed of 6.1 MPH STD
WCA3 300 lb Maximum user weight capacity STD
R-net PM 120 Amp Expandable Controller (E2377) STD
R-net Multiple Drive Standard Joystick with Color screen STD

ALLTRACK R4 - (K0870) Group 4 Heavy-Duty configuration without power options (Basic Package)

- ATR4-4HD-SS ALLTRACK R4 Power Wheelchair (K0870 - Group 4 Heavy-Duty, No Power) \$9,995
WCA4 400 lb Maximum user weight capacity \$995
MP614-STD Motor Package with a maximum speed of 6.1 MPH STD
R-net PM 120 Amp Expandable Controller (E2377) STD
R-net Multiple Drive Standard Joystick with Color screen STD

ALLTRACK R4 - (K0877) Group 4 Standard configuration with Single power option (Basic Package)

- ATR4-4S-SP ALLTRACK R4 Power Wheelchair (K0877 - Group 4 STD, Single Power) \$9,995
WCA3 300 lb Maximum user weight capacity STD
MP614-STD Motor Package with a maximum speed of 6.1 MPH STD
R-net PM 120 Amp Expandable Controller (E2377) STD
R-net Multiple Drive Standard Joystick with Color screen STD

ALLTRACK R4 - (K0879) Group 4 Heavy-Duty configuration with Single power option (Basic Package)

- ATR4-4HD-SP ALLTRACK R4 Power Wheelchair (K0879 - Group 4 Heavy-Duty, Single Power) \$9,995
WCA4 400 lb Maximum user weight capacity \$995
MP614-STD Motor Package with a maximum speed of 6.1 MPH STD
R-net PM 120 Amp Expandable Controller (E2377) STD
R-net Multiple Drive Standard Joystick with Color screen STD

ALLTRACK R4 - (K0884) Group 4 Standard configuration with Multiple power options (Basic Package)

- ATR4-4S-MP ALLTRACK R4 Power Wheelchair (K0884 - Group 4 STD, Multiple Power) \$9,995
MP614-STD Motor Package with a maximum speed of 6.1 MPH STD
WCA3 300 lb Maximum user weight capacity STD
R-net PM 120 Amp Expandable Controller (E2377) STD
R-net Multiple Drive Standard Joystick with Color screen STD

ALLTRACK R4 - (K0886) Group 4 Heavy-Duty configuration with Multiple power options (Basic Package)

- ATR4-4HD-MP ALLTRACK R Power Wheelchair (K0862 - Group 4 Heavy-Duty, Multiple Power) \$9,995
WCA4 400 lb Maximum user weight capacity \$995
MP614-STD Motor Package with a maximum speed of 6.1 MPH STD
R-net PM 120 Amp Expandable Controller (E2377) STD
R-net Multiple Drive Standard Joystick with Color screen STD

STANDARD OPTIONS FOR HCPCS CODES (K0868, K0870, K0877, K0879, K0884, K0886)

Offboard battery charger, 14" Cast Wheel Pneumatic with Flat-Free inserts, 8" Casters, 55" Auto Style Buckle Seat Positioning Strap, Swing-Away Footrests with Flip-up Footplates or a 90° Fixed Center Mount Interface Bracket with a Flip-up one piece Foot Platform, a fixed Joystick Mount, R-net PM 120 Amp Expandable Controller and R-net Multiple Drive Standard Joystick with Color screen.

STANDARD FRAME COLORS

<input type="checkbox"/>	FCBLK	Black
<input type="checkbox"/>	FCCBU	Candy Blue
<input type="checkbox"/>	FCCRE	Candy Red
<input type="checkbox"/>	FCBAO	Black Opal Metallic

OPTIONAL FRAME COLORS

<input type="checkbox"/>	FCBOR	Burnt Orange Metallic
<input type="checkbox"/>	FCMPL	Midnight Purple
<input type="checkbox"/>	FCRZB	Razzleberry
<input type="checkbox"/>	FCYLW	Yellow
<input type="checkbox"/>	FCOPM	Orange Pearl Metallic

MATCHING WHEELS TO THE SHROUD COLOR

<input type="checkbox"/>	FC***-M	Matching Wheels to the Shroud Color	\$195
--------------------------	---------	-------------------------------------	-------

OPTIONAL MOTOR PACKAGE

<input type="checkbox"/>	MP804-OPT	4 - Pole Motor Package with a maximum speed of 8.0 MPH (Maximum user weight Capacity of 250 lbs)	\$595
--------------------------	-----------	--	-------

TRANSPORT OPTION

<input type="checkbox"/>	TTD4	1 4-Point wheelchair transport brackets	\$350
Note 1 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval. Use these transport brackets only to secure an unoccupied wheelchair during transport.			

BATTERY TRAY AND FRAME SIZE

<input type="checkbox"/>	FS22B	Battery Tray for Group 22NF Batteries (Total base width = 24")	STD
<input type="checkbox"/>	FS24B	Battery Tray for Group 24 Batteries (Total base width = 25 3/8")	N/C

BATTERIES

<input type="checkbox"/>	BAT22NFPR	Gel Batteries - Group 22NF (Pair - On chair)	\$705
<input type="checkbox"/>	BAT24PR	Gel Batteries - Group 24 (Pair - On chair)	\$890

BATTERY CHARGER

<input type="checkbox"/>	BC8A	Offboard Battery Charger	N/C
<input type="checkbox"/>	BCLES8	Lester 8 amp Offboard Battery Charger (E2367)	\$320

DRIVE WHEEL

<input type="checkbox"/>	DW14PT	14" Cast Wheel Pneumatic Tire	STD
<input type="checkbox"/>	DW14PI	14" Cast Wheel Pneumatic with Flat-Free inserts	N/C
<input type="checkbox"/>	DW12PT	2 12 1/2" Cast Wheel Pneumatic Tire	N/C
<input type="checkbox"/>	DW12PI	2 12 1/2" Cast Wheel Pneumatic with Flat-Free inserts	N/C

Note 2 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

FRONT CASTERS

<input type="checkbox"/>	FC8PT	8" Pneumatic Casters	STD
<input type="checkbox"/>	FC8PI	8" Pneumatic Casters with Flat-Free inserts	N/C
<input type="checkbox"/>	FC9PT	3 9" Pneumatic Casters	\$150
<input type="checkbox"/>	FC9PI	3 9" Pneumatic Casters with Flat-Free inserts	\$175

Note 3 Depending on the configuration, 9" front casters may increase seat to floor height by 1/8", and add 1° to the seat angle. The 9" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)

SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")**Options for a Seat Only**

<input type="checkbox"/>	4	STFH16	16" (Possible Seat angle of 0° only)
<input type="checkbox"/>	4	STFH17	17" (Possible Seat angle of 0° and 3°)
<input type="checkbox"/>	4	STFH18	18" (Possible Seat angle of 0° and 3°)
<input type="checkbox"/>	4	STFH19	19" (Possible Seat angle of 0°, 3°, 6°, 9°)
<input type="checkbox"/>	4	STFH20	20" (Possible Seat angle of 0°, 3°, 6°, 9°)

Options for a Power Tilt or a STD Power Elevating Seat

<input type="checkbox"/>	4, 5	STFH1675	16 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1775	17 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1825	18 1/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1875	18 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/>	4, 5	STFH1925	19 1/4" (Possible Seat angle of 0° only)

Options for a Combo - Power Tilt with a STD Power Elevating Seat

<input type="checkbox"/>	4, 5	STFH1875	18 3/4" (Possible Seat angle of 0° only)
--------------------------	------	----------	--

Note 4 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

Note 5 The Heavy-Duty 11" Power Elevating Seat increases seat to floor height by approximately 1 1/4" (ADDPEXHD)

PRE-SET SEAT FRAME ANGLE

<input type="checkbox"/>	SFE-0	6 0° Pre-set seat frame seat angle (Must be selected when using power options)	STD
<input type="checkbox"/>	SFE-3	6 3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
<input type="checkbox"/>	SFE-6	6 6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C
<input type="checkbox"/>	SFE-9	6 9° Pre-set seat frame seat angle (Only available with a seat configuration without power options)	N/C

Note 6 Please refer to the special notes in the above seat to floor height section to confirm seat angle possibilities.

PG DRIVES 120 AMP FULLY EXPANDABLE CONTROLLER & JOYSTICK FOR POWER SEATING & SPECIALTY CONTROLS

<input type="checkbox"/>	ECR120-STD	R-net PM 120 Amp Expandable Controller (E2377)	STD
<input type="checkbox"/>	ECRNH-STD	7, 8 Harness for Expandable Controller (E2313)	STD
<input type="checkbox"/>	ECRJJC	7 R-net Multiple Drive Standard Joystick with Color screen	STD
<input type="checkbox"/>	ECRJCL	7 R-net Multiple Drive Joystick with Color screen and Lighting Operation	\$625
<input type="checkbox"/>	ECRJCTP	7 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & speed pot	\$725
<input type="checkbox"/>	ECRJCTT	7 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & profile	\$725
<input type="checkbox"/>	ECRJCTPL	7 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & speed pot and Lighting Operation	\$825

Note 7 Requires the fully expandable R-net PM 120 amp controller (ECR120)

Note 8 Must be ordered with the expandable controller ECR120 to interface with Joystick or OMNI screen

BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)

<input type="checkbox"/>	EDBT	9 Bluetooth Mouse Emulator (USB Dongle included)	\$795
--------------------------	------	--	-------

Note 9 Requires the fully expandable R-net PM 120 amp controller (ECR120)

LIGHTING PACKAGE

<input type="checkbox"/>	EOLP	10 LED Light Package (Includes front beams, side flashers, rear tail light with flashers & brake light)	\$995
--------------------------	------	---	-------

Note 10 Requires upgrated Joystick with Light Operation (ECRJCL, ECRJCTPL or OMNI)

JOYSTICK MOUNT

<input type="checkbox"/>	JSMF	Fixed Mount	N/C
<input type="checkbox"/>	JMSMA	Swing Away Mount (E1028)	\$345
<input type="checkbox"/>	JSMCM	Center Mount Swing Away (E1028)	\$345

JOYSTICK MOUNT SUPPORT

<input type="checkbox"/>	JSMFH	Fixed height joystick mount support	STD
<input type="checkbox"/>	JSMAH	Adjustable height joystick mount support	\$125

JOYSTICK HAND MOUNT

<input type="checkbox"/>	HML	Install Joystick on Left hand side	<input type="checkbox"/>	HMR	Install Joystick on Right hand side
--------------------------	-----	------------------------------------	--------------------------	-----	-------------------------------------

JOYSTICK HANDLE

<input type="checkbox"/>	JSH	Stick Handle	STD
<input type="checkbox"/>	JBH	Ball Handle (E2323)	\$75
<input type="checkbox"/>	JFBH	Foam Ball Handle (E2323)	\$75
<input type="checkbox"/>	JTH	T-Handle (E2323)	\$125
<input type="checkbox"/>	JGP	Goalpost (E2323)	\$125

ATTENDANT DRIVE CONTROL OPTION

<input type="checkbox"/>	EADC	Attendant Hand Control for R-net EL & PM Controls (E2331)	\$1,075
--------------------------	------	--	---------

ATTENDANT JOYSTICK HAND MOUNT

<input type="checkbox"/>	EADCL	Install Attendant Joystick on Rear Left hand side	<input type="checkbox"/>	EADCR	Install Attendant Joystick on Rear Right hand side
--------------------------	-------	---	--------------------------	-------	--

ENVIRONMENTAL CONTROL MODULES

<input type="checkbox"/>	IOM	11 IOM Input / Output Module (environment control module) (E2351)	\$995
--------------------------	-----	--	-------

Note 11 Requires the R-net PM (ECR120) Fully Expandable Controller

ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)

<input type="checkbox"/>	EDIB	12 Omni (Enhanced Display & Digital Interface Box with Infrared)	\$1,395
--------------------------	------	--	---------

Note 12 Allows the switch operation of alternative devices through driver controls.

Requires the R-net PM (ECR120) Fully Expandable Controller

ENHANCED DISPLAY MOUNT

<input type="checkbox"/>	EDSAM	User Swing Away Mount (E1028)	<input type="checkbox"/>	EDML	(Install Display on LH side)	<input type="checkbox"/>	EDMR	(Install Display on RH side)	N/C
--------------------------	-------	--	--------------------------	------	------------------------------	--------------------------	------	------------------------------	-----

POWER OPTIONS & SEATING

The Amyseat is fully adjustable, fully modular, and available with all power options including custom options and specialty controls.

<input type="checkbox"/>	SAABA	15	Amyseat - Seat Frame only	N/C
<input type="checkbox"/>	SAPTX	13, 15	CG Power Tilt (E1002)	\$4,495
<input type="checkbox"/>	SAPRX	13,15,16	Power Recline with Integrated Shear Reduction (ISR) (E1004)	\$5,295
<input type="checkbox"/>	SAPTPRX	13,15,16	CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR) (E1007)	\$8,495
<input type="checkbox"/>	SAPESX	13, 14	11" Power Elevating Seat Module for transfer assist (E2300)	\$4,495
<input type="checkbox"/>	ADDPESX	14	Module - Add an 11" Power Elevating Seat to either SAPTX, SAPRX or SAPTPRX (E2300)	\$2,495
<input type="checkbox"/>	ADDPESXHD	15, 17	Module - Add a Heavy-Duty 11" Power Elevating Seat to either SAPTX, SAPRX or SAPTPRX (E2300)	\$3,495
<input type="checkbox"/>	ADDMR	14, 16	Module - Manual Recline with Integrated Shear Reduction (ISR) (E1226)	\$995

Note 13 These options include the fully adjustable Amyseat (SAABA).

Note 14 The maximum user weight capacity with this option is 300 lbs

Note 15 The maximum user weight capacity with this option is 400 lbs

Note 16 It is recommended to order the Contour Back Support option with the power or manual reclines (STDSB or STDSB/CUSTOM)

Note 17 The Heavy-Duty 11" Power Elevating Seat increases seat to floor height by approximately 1 1/2" (ADDPESXHD)

ELECTRONICS - SINGLE (1) OR DUAL (2) ACTUATOR CONTROLLERS

<input type="checkbox"/>	SWTJSS	18, 19	Single actuator activation through R-net Electronics or Specialty Controls (E2310)	\$1,095
<input type="checkbox"/>	SWTJSD	18, 20	Dual actuator activation through R-net Electronics or Specialty Controls (E2311)	\$1,495
<input type="checkbox"/>	SAC		Single Actuator Controller (Incl. Reduced Speed with the Power Elevating Seat)	N/C
<input type="checkbox"/>	DAC		Dual Actuator Controller (Incl. Reduced Speed with the Power Elevating Seat)	N/C

For the SAC and DAC, please select one activation and position from the list below

<input type="checkbox"/>	SWTOGGLE	19 or 20	Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH1	19	Single Push Button Switch (Single Mode: SAC)	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH2	19 or 20	Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	N/C

Note 18 Requires the R-net PM (ECR120) Fully Expandable Controller

Note 19 Requires the Single Actuator Controller (SAC)

Note 20 Requires the Dual Actuator Controller (DAC)

ELECTRONICS - MULTIPLE ACTUATOR CONTROLLERS

<input type="checkbox"/>	MAC		Multi Function Control Box (Incl. Reduced Speed with the Power Elevating Seat)	N/C
--------------------------	-----	--	--	-----

Please select one activation and position from the list below

<input type="checkbox"/>	SWMULTI	21	4-Way Toggle Switch (Up to 4 Activations)	-	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWMULTIT	21	Triple Toggle Switch (Up to 5 Activations)	-	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	\$145
<input type="checkbox"/>	SWPUSH4	21	4-Way Push Button Switch	-	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH5	21	5-Way Push Button Switch	-	<input type="checkbox"/> User Activation	<input type="checkbox"/> Attendant Activation	\$145
<input type="checkbox"/>	SWTJSM	21, 22	Multiple Actuator activation through R-net Electronics or Specialty Controls (E2311)				\$2,295

Note 21 Requires the multiple Actuator Controller (MAC)

Note 22 Requires the R-net PM (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)

SWITCH ACTIVATION HAND MOUNT

Switch Installation:	<input type="checkbox"/> TSML (Install Switch on LH side)	<input type="checkbox"/> TSMR (Install Switch on RH side)	N/C
----------------------	---	---	-----

PRE-SET SEAT ANGLE (For Non-Reclining Backs)

<input type="checkbox"/> SOBAA	Please Select one: <input type="checkbox"/> 86° <input type="checkbox"/> 90° <input type="checkbox"/> 94° <input type="checkbox"/> 98° <input type="checkbox"/> 102° <input type="checkbox"/> 106° <input type="checkbox"/> 110° <input type="checkbox"/> 114° <input type="checkbox"/> 118° <input type="checkbox"/> 122°	N/C
--------------------------------	--	-----

STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"

STD

<input type="checkbox"/>	SOWN15-20-19 (Width adjustment from 15" to 20" with a maximum Depth of 19")	
<input type="checkbox"/>	SOWN15-20-22 (Width adjustment from 15" to 20" with a maximum Depth of 22")	
<input type="checkbox"/>	15" (SOWN15)	<input type="checkbox"/> 18" (SOWN18)
<input type="checkbox"/>	16" (SOWN16)	<input type="checkbox"/> 19" (SOWN19S)
<input type="checkbox"/>	17" (SOWN17)	<input type="checkbox"/> 20" (SOWN20S)

LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 24"

N/C

<input type="checkbox"/>	SOWN19-24-22 (Width adjustment from 19" to 24" and Depth range of 18" to 22")	
<input type="checkbox"/>	19" (SOWN19L)	<input type="checkbox"/> 22" (SOWN22)
<input type="checkbox"/>	20" (SOWN20L)	<input type="checkbox"/> 23" (SOWN23)
<input type="checkbox"/>	21" (SOWN21)	<input type="checkbox"/> 24" (SOWN24)

ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22"

<input type="checkbox"/>	15" (SODN15)	<input type="checkbox"/> 16" (SODN16)	<input type="checkbox"/> 17" (SODN17)	<input type="checkbox"/> 18" (SODN18)
<input type="checkbox"/>	19" (SODN19)	<input type="checkbox"/> 20" (SODN20)	<input type="checkbox"/> 21" (SODN21)	<input type="checkbox"/> 22" (SODN22)

BACK CANE HEIGHT (This only considers the useful straight portion, and you must consider +3" to the top of the push handles for the total height)

- | | | | |
|---|---|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> 12" (SOBH12) ²³ | <input type="checkbox"/> 15" (SOBH15) | <input type="checkbox"/> 18" (SOBH18) | <input type="checkbox"/> 21" (SOBH21) |
| <input type="checkbox"/> 13" (SOBH13) | <input type="checkbox"/> 16" (SOBH16) | <input type="checkbox"/> 19" (SOBH19) | <input type="checkbox"/> 22" (SOBH22) |
| <input type="checkbox"/> 14" (SOBH14) | <input type="checkbox"/> 17" (SOBH17) ²⁴ | <input type="checkbox"/> 20" (SOBH20) | |

Note 23 This back cane height is not available with power options and some specialty controls.

Note 24 17" is the minimum back cane height required with a power or manual recline.

BACK SUPPORT

- | | | |
|---------------------------------------|---|-----------------|
| <input type="checkbox"/> STDB | Standard back support 15" to 24" Wide with a maximum shell height of 22" (For Non-Reclining Backs) | STD |
| <input type="checkbox"/> STDBO | Omission of the Standard Back Support for Non-Reclining Backs | (CREDIT) -\$50 |
| <input type="checkbox"/> STDB/CUSTOM | Standard Back Support for non-reclining backs (Non-Standard Sizes) Specify Width: _____ Depth: _____ | \$195 |
| <input type="checkbox"/> STDSB | ²⁵ Contour back support 15" to 24" Wide with a max. shell height of 22" (For power or manual recline options only) | N/C |
| <input type="checkbox"/> STDSBO | Omission of the Contour Back Support for power or manual recline options only | (CREDIT) -\$100 |
| <input type="checkbox"/> STDSB/CUSTOM | ²⁵ Contour Back Support for power or manual recline options (Non-Standard Sizes) Specify Width: _____ Depth: _____ | \$295 |

Note 25 It is recommended to use the Contour Back Support option with the power or manual reclines (SAPRX, SAPTRX and ADDMR)

BACK SUPPORT HEIGHT (SHELL)

- | | |
|--|--|
| <input type="checkbox"/> 12" (SOBCH12) | <input type="checkbox"/> 18" (SOBCH18) |
| <input type="checkbox"/> 14" (SOBCH14) | <input type="checkbox"/> 20" (SOBCH20) |
| <input type="checkbox"/> 16" (SOBCH16) ²⁶ | <input type="checkbox"/> 22" (SOBCH22) |

Note 26 With a power or manual recline, the minimum back support shell height is 16".

The space between the bottom of the back and the seat pan is 2" to 3" with a fixed back and 6" to 7" with a recline

ARMRESTS**CANTILEVER - HEIGHT ADJUSTABLE (For Non-Reclining Backs - Choose 2)**

- | | | |
|-----------------------------------|---|-----|
| <input type="checkbox"/> SOAFBFLH | Adult Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBFRH | Adult Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBDLH | Adult Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 6" to 22" in 1" increments) | N/C |
| <input type="checkbox"/> SOAFBDRH | Adult Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | N/C |

DUAL POST - HEIGHT ADJUSTABLE (For Non-Reclining Backs - Choose 2)

- | | | |
|-----------------------------------|--|-------|
| <input type="checkbox"/> SOADPFLH | Adult Adjustable Height Dual Post - Full Length Left Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPFRH | Adult Adjustable Height Dual Post - Full Length Right Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPDLH | Adult Adjustable Height Dual Post - Desk Length Left Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPDRH | Adult Adjustable Height Dual Post - Desk Length Right Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |

RECLINING FLIP-UP, HEIGHT ADJUSTABLE WITH EASY RELEASE, TRANSFER HANDLE & SIDE GUARDS (For Reclining Backs - Choose 2)

- | | | |
|-----------------------------------|---|-----|
| <input type="checkbox"/> SOANIFLH | Adult Reclining armrest - Full Length Left Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIFRH | Adult Reclining armrest - Full Length Right Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIDLH | Adult Reclining armrest - Desk Length Left Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIDRH | Adult Reclining armrest - Desk Length Right Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |

ARMPADS

- | | | |
|---------------------------------|---|-------|
| <input type="checkbox"/> SOWAPD | Desk Length Waterfall (10") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$25 |
| <input type="checkbox"/> SOWAPF | Full Length Waterfall (14") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$25 |
| <input type="checkbox"/> SOFAPD | Desk Length Standard (10") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | STD |
| <input type="checkbox"/> SOFAPF | Full Length Standard (14") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | STD |
| <input type="checkbox"/> SOCAR | ²⁷ Arm Trough with Hand Support (18" x 4 1/2") (E2209) - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$115 |

Note 27 Arm Trough Armpads may interfere with Armrests Flipping back.

FOOTRESTS

- | | | |
|---------------------------------|---|---------|
| <input type="checkbox"/> SOSAAF | ³² Adult Swing-Away Footrests ---- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° ²⁸ <input type="checkbox"/> 80°
Select Footrest Range: <input type="checkbox"/> SOFLA10 (10 1/2" - 15 1/2") <input type="checkbox"/> SOFLA14 (14 1/2" - 19 1/2") | STD |
| <input type="checkbox"/> SOAAF | ³² Adult Heavy-Duty Swing-Away footrests ---- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° ²⁸ <input type="checkbox"/> 80°
Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 1/2" - 15 1/2") <input type="checkbox"/> SOFLHD14 (14 1/2" - 19 1/2") | \$395 |
| <input type="checkbox"/> ADDPL | ^{29, 32} Adult Power Elevating & Articulating Legrests (E1010) Please Select Function: <input type="checkbox"/> Individual ³⁰ <input type="checkbox"/> Combined ³¹
Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 1/2" - 15 1/2") <input type="checkbox"/> SOFLPW14 (14 1/2" - 19 1/2") | \$1,895 |

³² Please set the Footrest Length at: _____ "

Note 28 Depending on the seat configuration, this option may not be available.

Note 29 This option includes calf pads

Note 30 Individual legs count as two power functions.

Note 31 Combined legs count as one power function.

Note 32 The Footrest Length is taken from the top of the seat pan to the top of the footplate.

FOOTPLATES & ACCESSORIES

<input type="checkbox"/>	SOSFAF	Flip-up Footplates	STD
<input type="checkbox"/>	SOAFP	Angle Adjustable & Flip-up Footplates (K0040)	\$150
<input type="checkbox"/>	SOAHL	Heel Loops - pair (E0951)	\$40
<input type="checkbox"/>	SOACPFR	Calf Pads for Footrests with adjustable hardware - pair (E1028)	\$295

CENTRE MOUNTS

<input type="checkbox"/>	ADDPF	33,34,35 90° Power Centre Mount Elevating & Articulating Foot Platform (K0108) <input type="checkbox"/> SOFBPW15 (12 1/2" - 16 1/2") <input type="checkbox"/> SOFBPW19 (16 1/2" - 20 1/2")	\$2,995
<input type="checkbox"/>	SOAAF90	35, 36 90° Fixed Center Mount Interface Bracket Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 1/2" - 16 1/2") <input type="checkbox"/> SOFBA16 (16 1/2" - 20 1/2")	N/C
<input type="checkbox"/>	SOFUFP	Flip-up one piece Foot Platform	N/C
<input type="checkbox"/>	SOSAFP	35, 37 Center Mount Interface Bracket for Angle Adjustable Split Foot Platform Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 1/2" - 16 1/2") <input type="checkbox"/> SOFBA16 (16 1/2" - 20 1/2")	N/C
<input type="checkbox"/>	SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount (K0040)	\$150
<input type="checkbox"/>	SOACPCM	Calf Pads for Center Mount with adjustable hardware - pair (E1028)	\$195

35 Please set the Foot Platform Length at: _____ "

Note 33 The power center mount counts as one power function. Please select either (SOFUFP) or (SOAFPFB).

Note 34 This option includes calf pads

Note 35 The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates.

Note 36 Links and attaches the one piece centre mount foot platform to the seat (SOFUFP).

Note 37 Links and attaches the centre mount split footplates to the seat (SOAFPFB).

SEAT POSITIONING

<input type="checkbox"/>	SOAUTO	55" Auto Style Buckle Seat Positioning Strap	STD
<input type="checkbox"/>	SOAUTO80	80" Auto Style Buckle Seat Positioning Strap	\$75

HEADREST

<input type="checkbox"/>	SONUAHR	Using headrest mounting hardware other than SOSAH or SOMAH located below. Specify: _____	
<input type="checkbox"/>	SOFHRS	Small Curved Headrest Pad 4" x 9" (E0955)	\$225
<input type="checkbox"/>	SOFHRM	Medium Curved Headrest Pad 5" x 10" (E0955)	\$225
<input type="checkbox"/>	SOFHRL	Large Curved Headrest Pad 6" x 11" (E0955)	\$225
<input type="checkbox"/>	SOSAH	Single-Axis Removable Mounting Hardware (E1028)	\$195
<input type="checkbox"/>	SOMAH	Multi-axis Removable Mounting Hardware (E1028)	\$225
<input type="checkbox"/>	SOHRBC	Bracket to Mount on the Contour Back Support (Without Recline for SOSAH or SOMAH)	N/C
<input type="checkbox"/>	SOHRSB	Bracket to Mount on the Seat Frame Crossbar (Without Recline for SOSAH or SOMAH)	N/C
<input type="checkbox"/>	SOHRPR	Bracket to Mount on the Seat Frame Crossbar (With Power Recline for SOSAH or SOMAH)	N/C

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed (The frame or back cushion)

LATERAL TRUNK SUPPORTS

<input type="checkbox"/>	SOSLS3	Adjustable Laterals with Small Curved Pads (Pair) - 3" x 5" (E0956)	\$220
<input type="checkbox"/>	SOSLM4	Adjustable Laterals with Medium Curved Pads (Pair) - 4" x 6" (E0956)	\$220
<input type="checkbox"/>	SOSLL5	Adjustable Laterals with Large Curved Pads (Pair) - 5" x 7" (E0956)	\$220
<input type="checkbox"/>	SOSLHM	Adjustable Swing-Away Hardware Mounts - Pair (E1028)	\$450

Please select one of the lateral pads and the adjustable & removable hardware.

HIP & THIGH SUPPORTS

<input type="checkbox"/>	SOHTSS10	Adjustable Hip & Thigh Support Pads (Pair) - Small 10" x 4" (E0956)	\$225
<input type="checkbox"/>	SOHTSM12	Adjustable Hip & Thigh Support Pads (Pair) - Medium 12" x 5" (E0956)	\$225
<input type="checkbox"/>	SOHTSL14	Adjustable Hip & Thigh Support Pads (Pair) - Large 14" x 6" (E0956)	\$225
<input type="checkbox"/>	SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware - Pair (E1028)	\$425

Please select one of the hip & thigh support pads and the adjustable & removable hardware.

SPECIALTY DRIVER CONTROL OPTIONS

Sip n' Puff Kit			
<input type="checkbox"/>	QSNP	38	Sip n' Puff Kit (E2325) \$1,495
<input type="checkbox"/>	QSNPM		Adjustable Removable Hardware (E1028) \$225
<input type="checkbox"/>	SOCHR		Curved Headrest (E0955) \$225
<input type="checkbox"/>	ASNPBTK		Sip-N-Puff Breath Tube Kit (E2326) \$395
Adult - ASL Proximity Head Array			
<input type="checkbox"/>	QASLHAA	38	Adult - ASL Proximity Head Array (E2330) \$3,695
<input type="checkbox"/>	QASLARHA		Adjustable Removable Hardware (E1028) \$225
Adult - Switch-it Proximity Head Array			
<input type="checkbox"/>	QSIHAA	38	Adult - Switch-it Proximity Head Array (E2330) \$3,695
<input type="checkbox"/>	QSIARHA		Adjustable Removable Hardware (E1028) \$225
Proportional Mini joystick chin / lip control package			
<input type="checkbox"/>	APGDMJC	39	Proportional Mini joystick chin / lip control pkg. (E2312) \$2,595
<input type="checkbox"/>	APMJCARH		Adjustable Removable Hardware (E1028) \$225
<input type="checkbox"/>	SOCHR		Curved Headrest (E0955) \$225
Proportional Mini joystick for Midline Mount			
<input type="checkbox"/>	APGDMJM	39	Proportional Mini joystick for Midline Mount (E2312) \$2,595
<input type="checkbox"/>	APMJMSM		Midline Swing-away Mount (E1028) \$345
Proportional Mini joystick for Armrest Mount			
<input type="checkbox"/>	APGDMJA	39	Proportional Mini joystick for Armrest Mount (E2312) \$2,595
<input type="checkbox"/>	APMJASM		Swing-away Mount (E1028) \$345
Proportional RIM Head Control Package			
<input type="checkbox"/>	QPHCQ	38	Proportional RIM Head Control Package (E2327) \$2,895
<input type="checkbox"/>	QPHCM		Adjustable Removable Hardware (E1028) \$225

Note 38 Requires the Omni Enhanced Display & Digital Interface Box (EDIB)

Note 39 Requires either the environment control module (IOM) or the Omni Enhanced Display & Digital Interface Box (EDIB)

(Required) Options for Specialty Controls

<input type="checkbox"/>	ECR120	40	R-net PM 120 Amp Expandable Controller (E2377) \$525
<input type="checkbox"/>	ECRNH	40	Harness for Expandable Controller (E2313) \$350

Note 40 These options are required in addition to any specialty driver controls

(Requires 1 option for Specialty Controls) Omni Display or IOM - Input / Output Module

<input type="checkbox"/>	EDIB	41	Omni (Enhanced Display & Digital Interface Box with Infrared) \$1,395
<input type="checkbox"/>	IOM	42	IOM Input / Output Module (E2351) \$995

Note 41 Compatible with all Specialty Driver Controls. Requires the R-net PM (ECR120) Fully Expandable Controller
This Input Module allows a proportional or switched drive device to be connected to an R-net Control module
without using an Omni. It must be ordered with any R-net Remote Joystick.
Note 42 The IOM does not support Sip-n-Puff, Head Array and the Proportional head control input devices

ENHANCED DISPLAY MOUNT

<input type="checkbox"/>	EDSAM	User Swing Away Mount (E1028)	<input type="checkbox"/>	EDML (Install Display on LH side)	<input type="checkbox"/>	EDMR (Install Display on RH side)	N/C
--------------------------	-------	-------------------------------	--------------------------	-----------------------------------	--------------------------	-----------------------------------	-----

SWITCHES AND OPTIONS

<input type="checkbox"/>	ASCDDT	Hand Held DTT Programmer Pad	\$1,195
<input type="checkbox"/>	ASCPCP	P&G Dongle and PC compatible	\$425
<input type="checkbox"/>	SSBS	Buddy Button Switch (K0108)	\$95
<input type="checkbox"/>	SSDS	Mini-Cup (Disc Switch)	\$150
<input type="checkbox"/>	SSES	Egg Switch-Black	\$110
<input type="checkbox"/>	SSML	Micro Light Switch	\$145
<input type="checkbox"/>	ASCCA5	CA5 5 switch Adaptor	\$150

