



December 1, 2009

ORDERING INFORMATION PHONE: (888) 453-0311, FAX: (877) 501-8458, WEBSITE: www.amysystems.com

ACCOUNT INFORMATION

Dealer Contact Name:	_____	Bill to (Name):	_____
Email Address:	_____	Bill to (Location):	_____
Phone Number:	_____	Ship to (Name):	_____
Fax Number:	_____	Address:	_____
User Name or Number:	_____	City:	_____
User Weight:	_____	State:	_____
User Height:	_____	Zip Code:	_____
Seat Cushion Thickness:	_____	P.O. # or Quote:	_____

ALLTRACK R - (K0848) Group 3 Standard configuration without power options (Basic Package)

<input type="checkbox"/>	ATR-3S-SS	ALLTRACK R Power Wheelchair (K0848 - Group 3 STD, No Power)	\$6995
<input type="checkbox"/>	MP592-STD	Motor Package with a maximum speed of 5.9 MPH	STD
<input type="checkbox"/>	WCA3	300 lb Maximum user weight capacity	STD
		VR2 90A Drive Controller	STD
		VR2 Standard 4-Key Joystick	STD

ALLTRACK R - (K0850) Group 3 Heavy-Duty configuration without power options (Basic Package)

<input type="checkbox"/>	ATR-3HD-SS	ALLTRACK R Power Wheelchair (K0850 - Group 3 Heavy-Duty, No Power)	\$6995
<input type="checkbox"/>	WCA4	400 lb Maximum user weight capacity	\$995
<input type="checkbox"/>	MP594-STD	Motor Package with a maximum speed of 5.9 MPH	STD
		VR2 90A Drive Controller	STD
		VR2 Standard 4-Key Joystick	STD

ALLTRACK R - (K0856) Group 3 Standard configuration with Single power option (Basic Package)

<input type="checkbox"/>	ATR-3S-SP	ALLTRACK R Power Wheelchair (K0856 - Group 3 STD, Single Power)	\$6995
<input type="checkbox"/>	MP594-STD	Motor Package with a maximum speed of 5.9 MPH	STD
<input type="checkbox"/>	WCA3	300 lb Maximum user weight capacity	STD
		VR2 90 Amp Drive Controller	STD
		VR2 6-Key Joystick (Allows for a single power option to operate through this joystick)	\$250

ALLTRACK R - (K0858) Group 3 Heavy-Duty configuration with Single power option (Basic Package)

<input type="checkbox"/>	ATR-3HD-SP	ALLTRACK R Power Wheelchair (K0858 - Group 3 Heavy-Duty, Single Power)	\$6995
<input type="checkbox"/>	WCA4	400 lb Maximum user weight capacity	\$995
<input type="checkbox"/>	MP594-STD	Motor Package with a maximum speed of 5.9 MPH	STD
		VR2 90 Amp Drive Controller	STD
		VR2 6-Key Joystick (Allows for a single power option to operate through this joystick)	\$250

ALLTRACK R - (K0861) Group 3 Standard configuration with Multiple power options (Basic Package)

<input type="checkbox"/>	ATR-3S-MP	ALLTRACK R Power Wheelchair (K0861 - Group 3 STD, Multiple Power)	\$6995
<input type="checkbox"/>	MP594-STD	Motor Package with a maximum speed of 5.9 MPH	STD
<input type="checkbox"/>	WCA3	300 lb Maximum user weight capacity	STD
		R-net EL 90 Amp Expandable Controller (E2377)	\$425
		R-net LED Multiple Drive Joystick	N/C

ALLTRACK R - (K0862) Group 3 Heavy-Duty configuration with Multiple power options (Basic Package)

<input type="checkbox"/>	ATR-3HD-MP	ALLTRACK R Power Wheelchair (K0862 - Group 3 Heavy-Duty, Multiple Power)	\$6995
<input type="checkbox"/>	WCA4	400 lb Maximum user weight capacity	\$995
<input type="checkbox"/>	MP594-STD	Motor Package with a maximum speed of 5.9 MPH	STD
		R-net EL 90 Amp Expandable Controller (E2377)	\$425
		R-net LED Multiple Drive Joystick	N/C

STANDARD OPTIONS FOR HCPCS CODES (K0848, K0850, K0856, K0858, K0861, K0862)

Offboard battery charger, 14" Cast Wheel Pneumatic with Flat-Free inserts, 8" Casters, Auto Style Buckle Seat Positioning Strap, Swing-Away Footrests with Flip-up Footplates or a 90° Fixed Center Mount Interface Bracket with a Flip-up one piece Foot Platform and a Fixed Joystick Mount.

STANDARD FRAME COLORS

- FCBLK Black
- FCCBU Candy Blue
- FCCRE Candy Red
- FCBAO Black Opal Metallic

OPTIONAL FRAME COLORS

- FCBOR Burnt Orange Metallic
- FCMPL Midnight Purple
- FCRZB Razzleberry
- FCYLW Yellow
- FCOPM Orange Pearl Metallic

MATCHING WHEELS TO THE SHROUD COLOR

- FC***-M Matching Wheels to the Shroud Color \$195

OPTIONAL MOTOR PACKAGE

- MP614-OPT 4 - Pole Motor Package with a maximum speed of 6.1 MPH (Maximum user weight Capacity of 400 lbs) \$995
- MP804-OPT 4 - Pole Motor Package with a maximum speed of 8.0 MPH (Maximum user weight Capacity of 250 lbs) \$595

TRANSPORT OPTION

- TTD4 1 4-Point wheelchair transport brackets \$350

Note 1 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.
Use these transport brackets only to secure an unoccupied wheelchair during transport.

BATTERY TRAY AND FRAME SIZE

- FS22B Battery Tray for Group 22NF Batteries (Total base width = 24") STD
- FS24B Battery Tray for Group 24 Batteries (Total base width = 25 3/8") N/C

BATTERIES

- BAT22NFPR Gel Batteries - Group 22NF (Pair - On chair) \$705
- BAT24PR Gel Batteries - Group 24 (Pair - On chair) \$890

BATTERY CHARGER

- BC8A Offboard Battery Charger N/C
- BCLES8 Lester 8 amp Offboard Battery Charger (E2367) \$320

DRIVE WHEEL

- DW14PT 14" Cast Wheel Pneumatic Tire STD
- DW14PI 14" Cast Wheel Pneumatic with Flat-Free inserts N/C
- DW12PT 2 12 1/2" Cast Wheel Pneumatic Tire N/C
- DW12PI 2 12 1/2" Cast Wheel Pneumatic with Flat-Free inserts N/C

Note 2 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

FRONT CASTERS

- FC8PT 8" Pneumatic Casters STD
- FC8PI 8" Pneumatic Casters with Flat-Free inserts N/C
- FC9PT 3 9" Pneumatic Casters \$150
- FC9PI 3 9" Pneumatic Casters with Flat-Free inserts \$175

Note 3 Depending on the configuration, 9" front casters may increase seat to floor height by 1/8", and add 1° to the seat angle.
The 9" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)

SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")

Options for a Seat Only

- 4 STFH16 16" (Possible Seat angle of 0° only)
- 4 STFH17 17" (Possible Seat angle of 0° and 3°)
- 4 STFH18 18" (Possible Seat angle of 0° and 3°)
- 4 STFH19 19" (Possible Seat angle of 0°, 3°, 6°, 9°)
- 4 STFH20 20" (Possible Seat angle of 0°, 3°, 6°, 9°)

Options for a Power Tilt or a STD Power Elevating Seat

- 4, 5 STFH1675 16 3/4" (Possible Seat angle of 0° only)
- 4, 5 STFH1775 17 3/4" (Possible Seat angle of 0° only)
- 4, 5 STFH1825 18 1/4" (Possible Seat angle of 0° only)
- 4, 5 STFH1875 18 3/4" (Possible Seat angle of 0° only)
- 4, 5 STFH1925 19 1/4" (Possible Seat angle of 0° only)

Options for a Combo - Power Tilt with a STD Power Elevating Seat

- 4, 5 STFH1875 18 3/4" (Possible Seat angle of 0° only)

Note 4 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

Note 5 The Heavy-Duty 11" Power Elevating Seat increases seat to floor height by approximately 1 1/2" (ADDPESXHD)

PRE-SET SEAT FRAME ANGLE

- SFE-0 6 0° Pre-set seat frame seat angle (Must be selected when using power options) STD
- SFE-3 6 3° Pre-set seat frame seat angle (Only available with a seat configuration without power options) N/C
- SFE-6 6 6° Pre-set seat frame seat angle (Only available with a seat configuration without power options) N/C
- SFE-9 6 9° Pre-set seat frame seat angle (Only available with a seat configuration without power options) N/C

Note 6 Please refer to the special notes in the above seat to floor height section to confirm seat angle possibilities.

PG DRIVES 90 AMP STANDARD CONTROLLER & JOYSTICK

<input type="checkbox"/>	ECV902A	VR2 90 Amp Drive Controller	STD
<input type="checkbox"/>	ECVJ4K	7 VR2 Standard 4-Key Joystick	STD
<input type="checkbox"/>	ECVJ6K	7 VR2 6-Key Joystick (Allows for a single power option to operate through this joystick)	\$250
<input type="checkbox"/>	ECVJ9KL	7 VR2 9-Key Joystick with Lighting Operation (Allows for a single power function to operate through this joystick)	\$350

Note 7 Requires the VR2 90A Drive Control (ECV902A)

PG DRIVES 90 AMP FULLY EXPANDABLE CONTROLLER & JOYSTICK FOR POWER SEATING & SPECIALTY CONTROLS

<input type="checkbox"/>	ECEL90	R-net EL 90 Amp Expandable Controller (E2377)	\$425
<input type="checkbox"/>	ECRNH	8, 9 Harness for Expandable Controller (E2313)	\$350
<input type="checkbox"/>	ECELJ	8 R-net EL LED Multiple Drive Joystick	N/C
<input type="checkbox"/>	ECELJL	8 R-net EL LED Multiple Drive Joystick with Lighting Operation	\$525

Note 8 Requires the fully expandable EL 90 amp controller (ECEL90)
Note 9 Must be ordered with the expandable controller ECEL90 to interface with Joystick or OMNI screen

PG DRIVES 120 AMP FULLY EXPANDABLE CONTROLLER & JOYSTICK FOR POWER SEATING & SPECIALTY CONTROLS

<input type="checkbox"/>	ECR120	R-net PM 120 Amp Expandable Controller (E2377)	\$525
<input type="checkbox"/>	ECRNH	10, 11 Harness for Expandable Controller (E2313)	\$350
<input type="checkbox"/>	ECRJJC	10 R-net Multiple Drive Standard Joystick with Color screen	N/C
<input type="checkbox"/>	ECRJCL	10 R-net Multiple Drive Joystick with Color screen and Lighting Operation	\$625
<input type="checkbox"/>	ECRJCTP	10 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & speed pot	\$725
<input type="checkbox"/>	ECRJCTT	10 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & profile	\$725
<input type="checkbox"/>	ECRJCTPL	10 R-net Multiple Drive Joystick with Color screen w/ On & Off / Mode switch & speed pot and Lighting Operation	\$825

Note 10 Requires the fully expandable R-net PM 120 amp controller (ECR120)
Note 11 Must be ordered with the expandable controller ECR120 to interface with Joystick or OMNI screen

BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)

<input type="checkbox"/>	EDBT	12 Bluetooth Mouse Emulator (USB Dongle included)	\$795
--------------------------	------	---	-------

Note 12 Requires the fully expandable R-net PM 120 amp controller (ECR120)

LIGHTING PACKAGE

<input type="checkbox"/>	EOLP	13 LED Light Package (Includes front beams, side flashers, rear tail light with flashers & brake light)	\$995
--------------------------	------	---	-------

Note 13 Requires upgraded Joystick with Light Operation (ECVJ6KL, ECELJL, ECRJCL, ECRJCTPL or OMNI)

JOYSTICK MOUNT

<input type="checkbox"/>	JSMF	Fixed Mount	N/C
<input type="checkbox"/>	JMSA	Swing Away Mount (E1028)	\$345
<input type="checkbox"/>	JSMCM	Center Mount Swing Away (E1028)	\$345

JOYSTICK MOUNT SUPPORT

<input type="checkbox"/>	JSMFH	Fixed height joystick mount support	STD
<input type="checkbox"/>	JSMAH	Adjustable height joystick mount support	\$125

JOYSTICK HAND MOUNT

<input type="checkbox"/>	HML	Install Joystick on Left hand side	<input type="checkbox"/>	HMR	Install Joystick on Right hand side
--------------------------	-----	------------------------------------	--------------------------	-----	-------------------------------------

JOYSTICK HANDLE

<input type="checkbox"/>	JSH	Stick Handle	STD
<input type="checkbox"/>	JBH	Ball Handle (E2323)	\$75
<input type="checkbox"/>	JFBH	Foam Ball Handle (E2323)	\$75
<input type="checkbox"/>	JTH	T-Handle (E2323)	\$125
<input type="checkbox"/>	JGP	Goalpost (E2323)	\$125

ATTENDANT DRIVE CONTROL OPTION

<input type="checkbox"/>	EADC	Attendant Hand Control for R-net EL & PM Controls (E2331)	\$1,075
--------------------------	------	--	---------

ATTENDANT JOYSTICK HAND MOUNT

<input type="checkbox"/>	EADCL	Install Attendant Joystick on Rear Left hand side	<input type="checkbox"/>	EADCR	Install Attendant Joystick on Rear Right hand side
--------------------------	-------	---	--------------------------	-------	--

ENVIRONMENTAL CONTROL MODULES

<input type="checkbox"/>	IOM	14 IOM Input / Output Module (environment control module) (E2351)	\$995
--------------------------	-----	--	-------

Note 14 Requires the R-net PM (ECR120) Fully Expandable Controller

ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)

<input type="checkbox"/>	EDIB	15 Omni (Enhanced Display & Digital Interface Box with Infrared)	\$1,395
--------------------------	------	--	---------

Note 15 Allows the switch operation of alternative devices through driver controls.
Requires the R-net PM (ECR120) Fully Expandable Controller

ENHANCED DISPLAY MOUNT

<input type="checkbox"/>	EDSAM	User Swing Away Mount (E1028)	<input type="checkbox"/>	EDML	(Install Display on LH side)	<input type="checkbox"/>	EDMR	(Install Display on RH side)	N/C
--------------------------	-------	--------------------------------------	--------------------------	------	------------------------------	--------------------------	------	------------------------------	-----

POWER OPTIONS & SEATING

The Amyseat is fully adjustable, fully modular, and available with all power options including custom options and specialty controls.

<input type="checkbox"/>	SAABA	18	Amyseat - Seat Frame only	N/C
<input type="checkbox"/>	SAPTX	16, 18	CG Power Tilt (E1002)	\$4,495
<input type="checkbox"/>	SAPRX	16,18,19	Power Recline with Integrated Shear Reduction (ISR) (E1004)	\$5,295
<input type="checkbox"/>	SAPTPRX	16,18,19	CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR) (E1007)	\$8,495
<input type="checkbox"/>	SAPESX	16, 17	11" Power Elevating Seat Module for transfer assist (E2300)	\$4,495
<input type="checkbox"/>	ADDPESX	17	Module - Add an 11" Power Elevating Seat to either SAPTX, SAPRX or SAPTPRX (E2300)	\$4,495
<input type="checkbox"/>	ADDPESXHD	18, 20	Module - Add a Heavy-Duty 11" Power Elevating Seat to either SAPTX, SAPRX or SAPTPRX (E2300)	\$3,495
<input type="checkbox"/>	ADDMR	17, 19	Module - Manual Recline with Integrated Shear Reduction (ISR) (E1226)	\$1,495

Note 16 These options include the fully adjustable Amyseat (SAABA).

Note 17 The maximum user weight capacity with this option is 300 lbs

Note 18 The maximum user weight capacity with this option is 400 lbs

Note 19 It is recommended to use the Contour Back Support option with the power or manual reclines (STDSB or STDSB/CUSTOM)

Note 20 The Heavy-Duty 11" Power Elevating Seat increases seat to floor height by approximately 1 1/2" (ADDPESXHD)

ELECTRONICS - SINGLE (1) OR DUAL (2) ACTUATOR CONTROLLERS

<input type="checkbox"/>	EPSV2A	21	Tilt or Elevating seat activation through 6-key VR2 Hand Control (E2310)	N/C
<input type="checkbox"/>	SWTJSS	22, 23	Single actuator activation through R-net Electronics or Specialty Controls (E2310)	\$1,095
<input type="checkbox"/>	SWTJSD	22, 24	Dual actuator activation through R-net Electronics or Specialty Controls (E2311)	\$1,495
<input type="checkbox"/>	SAC		Single Actuator Controller (Incl. Reduced Speed with the Power Elevating Seat)	N/C
<input type="checkbox"/>	DAC		Dual Actuator Controller (Incl. Reduced Speed with the Power Elevating Seat)	N/C

For the SAC and DAC, please select one activation and position from the list below

<input type="checkbox"/>	SWTOGGLE	23 or 24	Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH1	23	Single Push Button Switch (Single Mode: SAC) <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH2	23 or 24	Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C

Note 21 Allows for the activation of a power tilt or the 11" power elevating seat through the 6-key VR2 joystick (ECVJ6K)

Note 22 Requires the R-net EL (ECEL90) or the PM (ECR120) Fully Expandable Controllers

Note 23 Requires the Single Actuator Controller (SAC)

Note 24 Requires the Dual Actuator Controller (DAC)

ELECTRONICS - MULTIPLE ACTUATOR CONTROLLERS

<input type="checkbox"/>	MAC		Multi Function Control Box (Incl. Reduced Speed with the Power Elevating Seat)	N/C
Please select one activation and position from the list below				
<input type="checkbox"/>	SWMULTI	25	4-Way Toggle Switch (Up to 4 Activations) - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWMULTIT	25	Triple Toggle Switch (Up to 5 Activations) - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	\$145
<input type="checkbox"/>	SWPUSH4	25	4-Way Push Button Switch - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	N/C
<input type="checkbox"/>	SWPUSH5	25	5-Way Push Button Switch - <input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation	\$145
<input type="checkbox"/>	SWTJSM	25, 26	Multiple Actuator activation through R-net Electronics or Specialty Controls (E2311)	\$2,295

Note 25 Requires the multiple Actuator Controller (MAC)

Note 26 Requires the R-net EL (ECEL90) or the PM (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)

SWITCH ACTIVATION HAND MOUNT

Switch Installation:	<input type="checkbox"/> TSML (Install Switch on LH side)	<input type="checkbox"/> TSMR (Install Switch on RH side)	N/C
----------------------	---	---	-----

PRE-SET SEAT ANGLE (For Non-Reclining Backs)

<input type="checkbox"/> SOBAA	Please Select one: <input type="checkbox"/> 86° <input type="checkbox"/> 90° <input type="checkbox"/> 94° <input type="checkbox"/> 98° <input type="checkbox"/> 102° <input type="checkbox"/> 106° <input type="checkbox"/> 110° <input type="checkbox"/> 114° <input type="checkbox"/> 118° <input type="checkbox"/> 122°	N/C
--------------------------------	--	-----

STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"

STD

- SOWN15-20-19 (Width adjustment from 15" to 20" with a maximum Depth of 19")
- SOWN15-20-22 (Width adjustment from 15" to 20" with a maximum Depth of 22")

<input type="checkbox"/> 15" (SOWN15)	<input type="checkbox"/> 18" (SOWN18)
<input type="checkbox"/> 16" (SOWN16)	<input type="checkbox"/> 19" (SOWN19S)
<input type="checkbox"/> 17" (SOWN17)	<input type="checkbox"/> 20" (SOWN20S)

LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 24"

N/C

- SOWN19-24-22 (Width adjustment from 19" to 24" and Depth range of 18" to 22")

<input type="checkbox"/> 19" (SOWN19L)	<input type="checkbox"/> 22" (SOWN22)
<input type="checkbox"/> 20" (SOWN20L)	<input type="checkbox"/> 23" (SOWN23)
<input type="checkbox"/> 21" (SOWN21)	<input type="checkbox"/> 24" (SOWN24)

ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22"

<input type="checkbox"/> 15" (SODN15)	<input type="checkbox"/> 16" (SODN16)	<input type="checkbox"/> 17" (SODN17)	<input type="checkbox"/> 18" (SODN18)
<input type="checkbox"/> 19" (SODN19)	<input type="checkbox"/> 20" (SODN20)	<input type="checkbox"/> 21" (SODN21)	<input type="checkbox"/> 22" (SODN22)

BACK CANE HEIGHT (This only considers the useful straight portion, and you must consider +3" to the top of the push handles for the total height)

- | | | | |
|---|---|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> 12" (SOBH12) ²⁷ | <input type="checkbox"/> 15" (SOBH15) | <input type="checkbox"/> 18" (SOBH18) | <input type="checkbox"/> 21" (SOBH21) |
| <input type="checkbox"/> 13" (SOBH13) | <input type="checkbox"/> 16" (SOBH16) | <input type="checkbox"/> 19" (SOBH19) | <input type="checkbox"/> 22" (SOBH22) |
| <input type="checkbox"/> 14" (SOBH14) | <input type="checkbox"/> 17" (SOBH17) ²⁸ | <input type="checkbox"/> 20" (SOBH20) | |

Note 27 This back cane height is not available with power options and some specialty controls.

Note 28 17" is the minimum back cane height required with a power or manual recline.

BACK SUPPORT

- | | | |
|---|---|-----------------|
| <input type="checkbox"/> STDB | Standard back support 15" to 24" Wide with a maximum shell height of 22" (For Non-Reclining Backs) | STD |
| <input type="checkbox"/> STDBO | Omission of the Standard Back Support for Non-Reclining Backs | (CREDIT) -\$50 |
| <input type="checkbox"/> STDB/CUSTOM | Standard Back Support for non-reclining backs (Non-Standard Sizes) Specify Width: _____ Depth: _____ | \$195 |
| <input type="checkbox"/> STDSB ²⁹ | Contour back support 15" to 24" Wide with a max. shell height of 22" (For power or manual recline options only) | N/C |
| <input type="checkbox"/> STDSBO | Omission of the Contour Back Support for power or manual recline options only | (CREDIT) -\$100 |
| <input type="checkbox"/> STDSB/CUSTOM ²⁹ | Contour Back Support for power or manual recline options (Non-Standard Sizes) Specify Width: _____ Depth: _____ | \$295 |

Note 29 It is recommended to use the Contour Back Support option with the power or manual reclines (SAPRX, SAPTRX and ADDMR)

BACK SUPPORT HEIGHT (SHELL)

- | | | |
|--|--|--|
| <input type="checkbox"/> 12" (SOBCH12) | <input type="checkbox"/> 16" (SOBCH16) ³⁰ | <input type="checkbox"/> 20" (SOBCH20) |
| <input type="checkbox"/> 14" (SOBCH14) | <input type="checkbox"/> 18" (SOBCH18) | <input type="checkbox"/> 22" (SOBCH22) |

Note 30 With a power or manual recline, the minimum back support shell height is 16".

The space between the bottom of the back and the seat pan is 2" to 3" with a fixed back and 6" to 7" with a recline

ARMRESTS

CANTILEVER - HEIGHT ADJUSTABLE (For Non-Reclining Backs - Choose 2)

- | | | |
|-----------------------------------|---|-----|
| <input type="checkbox"/> SOAFBFLH | Adult Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBFRH | Adult Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | STD |
| <input type="checkbox"/> SOAFBDLH | Adult Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 6" to 22" in 1" increments) | N/C |
| <input type="checkbox"/> SOAFBDRH | Adult Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 6" to 22" in 1" increments) | N/C |

DUAL POST - HEIGHT ADJUSTABLE (For Non-Reclining Backs - Choose 2)

- | | | |
|-----------------------------------|--|-------|
| <input type="checkbox"/> SOADPFLH | Adult Adjustable Height Dual Post - Full Length Left Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPFRH | Adult Adjustable Height Dual Post - Full Length Right Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPDLH | Adult Adjustable Height Dual Post - Desk Length Left Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |
| <input type="checkbox"/> SOADPDRH | Adult Adjustable Height Dual Post - Desk Length Right Side (Height Adjustable from 9 1/2" - 13 1/2") (E0973) | \$115 |

RECLINING FLIP-UP, HEIGHT ADJUSTABLE WITH EASY RELEASE, TRANSFER HANDLE & SIDE GUARDS (For Reclining Backs - Choose 2)

- | | | |
|-----------------------------------|---|-----|
| <input type="checkbox"/> SOANIFLH | Adult Reclining armrest - Full Length Left Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIFRH | Adult Reclining armrest - Full Length Right Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIDLH | Adult Reclining armrest - Desk Length Left Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |
| <input type="checkbox"/> SOANIDRH | Adult Reclining armrest - Desk Length Right Side (Height Adjustable from 10 1/2" to 14" in 1/2" increments) | N/C |

ARMPADS

- | | | |
|--|---|-------|
| <input type="checkbox"/> SOWAPD | Desk Length Waterfall (10") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$25 |
| <input type="checkbox"/> SOWAPF | Full Length Waterfall (14") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$25 |
| <input type="checkbox"/> SOFAPD | Desk Length Standard (10") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | STD |
| <input type="checkbox"/> SOFAPF | Full Length Standard (14") - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | STD |
| <input type="checkbox"/> SOCAR ³¹ | Arm Trough with Hand Support (18" x 4 1/2") (E2209) - Select Side: <input type="checkbox"/> Left Hand Side <input type="checkbox"/> Right Hand Side | \$115 |

Note 31 Arm Trough Armpads may interfere with Armrests Flipping back.

FOOTRESTS

- | | | |
|--|---|---------|
| <input type="checkbox"/> SOSAAF ³⁶ | Adult Swing-Away Footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 80°
Select Footrest Range: <input type="checkbox"/> SOFLA10 (10 1/2" - 15 1/2") <input type="checkbox"/> SOFLA14 (14 1/2" - 19 1/2") | STD |
| <input type="checkbox"/> SOAAF ³⁶ | Adult Heavy-Duty Swing-Away footrests ----- Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 80°
Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 1/2" - 15 1/2") <input type="checkbox"/> SOFLHD14 (14 1/2" - 19 1/2") | \$395 |
| <input type="checkbox"/> ADDPL ^{33, 36} | Adult Power Elevating & Articulating Legrests (E1010) Please Select Function: <input type="checkbox"/> Individual ³⁴ <input type="checkbox"/> Combined ³⁵
Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 1/2" - 15 1/2") <input type="checkbox"/> SOFLPW14 (14 1/2" - 19 1/2") | \$1,895 |

³⁶ Please set the Footrest Length at: _____ "

Note 32 Depending on the seat configuration, this option may not be available.

Note 33 This option includes calf pads

Note 34 Individual legs count as two power functions.

Note 35 Combined legs count as one power function.

Note 36 The Footrest Length is taken from the top of the seat pan to the top of the footplate.

FOOTPLATES & ACCESSORIES

<input type="checkbox"/>	SOSFAF	Flip-up Footplates	STD
<input type="checkbox"/>	SOAFP	Angle Adjustable & Flip-up Footplates (K0040)	\$150
<input type="checkbox"/>	SOAHL	Heel Loops - pair (E0951)	\$40
<input type="checkbox"/>	SOACPFR	Calf Pads for Footrests with adjustable hardware - pair (E1028)	\$295

CENTRE MOUNTS

<input type="checkbox"/>	ADDPF	37,38,39 90° Power Centre Mount Elevating & Articulating Foot Platform (K0108) <input type="checkbox"/> SOFBPW15 (12 ½"- 16 ½") <input type="checkbox"/> SOFBPW19 (16 ½"- 20 ½")	\$2,995
<input type="checkbox"/>	SOAAF90	39, 40 90° Fixed Center Mount Interface Bracket Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 ½" - 16 ½") <input type="checkbox"/> SOFBA16 (16 ½" - 20 ½")	N/C
<input type="checkbox"/>	SOFUFP	Flip-up one piece Foot Platform	N/C
<input type="checkbox"/>	SOSAFP	39, 41 Center Mount Interface Bracket for Angle Adjustable Split Foot Platform Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 ½" - 16 ½") <input type="checkbox"/> SOFBA16 (16 ½" - 20 ½")	N/C
<input type="checkbox"/>	SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount (K0040)	\$150
<input type="checkbox"/>	SOACPCM	Calf Pads for Center Mount with adjustable hardware - pair (E1028)	\$195

39 **Please set the Foot Platform Length at:** _____ "

Note 37 The power center mount counts as one power function. Please select either (SOFUFP) or (SOAFPFB).

Note 38 This option includes calf pads

Note 39 The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates.

Note 40 Links and attaches the one piece centre mount foot platform to the seat (SOFUFP).

Note 41 Links and attaches the centre mount split footplates to the seat (SOAFPFB).

SEAT POSITIONING

<input type="checkbox"/>	SOAUTO	55" Auto Style Buckle Seat Positioning Strap	STD
<input type="checkbox"/>	SOAUTO80	80" Auto Style Buckle Seat Positioning Strap	\$75

HEADREST

<input type="checkbox"/>	SONUAHR	Using headrest mounting hardware other than SOSAH or SOMAH located below. Specify: _____	
<input type="checkbox"/>	SOFHRS	Small Curved Headrest Pad 4" x 9" (E0955)	\$225
<input type="checkbox"/>	SOFHRM	Medium Curved Headrest Pad 5" x 10" (E0955)	\$225
<input type="checkbox"/>	SOFHRL	Large Curved Headrest Pad 6" x 11" (E0955)	\$225
<input type="checkbox"/>	SOSAH	Single-Axis Removable Mounting Hardware (E1028)	\$195
<input type="checkbox"/>	SOMAH	Multi-axis Removable Mounting Hardware (E1028)	\$225
<input type="checkbox"/>	SOHRBC	Bracket to Mount on the Contour Back Support (Without Recline for SOSAH or SOMAH)	N/C
<input type="checkbox"/>	SOHRSB	Bracket to Mount on the Seat Frame Crossbar (Without Recline for SOSAH or SOMAH)	N/C
<input type="checkbox"/>	SOHRPR	Bracket to Mount on the Seat Frame Crossbar (With Power Recline for SOSAH or SOMAH)	N/C

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed (The frame or back cushion)

LATERAL TRUNK SUPPORTS

<input type="checkbox"/>	SOSLS3	Adjustable Laterals with Small Curved Pads (Pair) - 3" x 5" (E0956)	\$220
<input type="checkbox"/>	SOSLM4	Adjustable Laterals with Medium Curved Pads (Pair) - 4" x 6" (E0956)	\$220
<input type="checkbox"/>	SOSLL5	Adjustable Laterals with Large Curved Pads (Pair) - 5" x 7" (E0956)	\$220
<input type="checkbox"/>	SOSLHM	Adjustable Swing-Away Hardware Mounts - Pair (E1028)	\$450

Please select one of the lateral pads and the adjustable & removable hardware.

HIP & THIGH SUPPORTS

<input type="checkbox"/>	SOHTSS10	Adjustable Hip & Thigh Support Pads (Pair) - Small 10" x 4" (E0956)	\$225
<input type="checkbox"/>	SOHTSM12	Adjustable Hip & Thigh Support Pads (Pair) - Medium 12" x 5" (E0956)	\$225
<input type="checkbox"/>	SOHTSL14	Adjustable Hip & Thigh Support Pads (Pair) - Large 14" x 6" (E0956)	\$225
<input type="checkbox"/>	SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware - Pair (E1028)	\$425

Please select one of the hip & thigh support pads and the adjustable & removable hardware.

SPECIALTY DRIVER CONTROL OPTIONS

Sip n' Puff Kit			
<input type="checkbox"/>	QSNP	42	Sip n' Puff Kit (E2325) \$1,495
<input type="checkbox"/>	QSNPM		Adjustable Removable Hardware (E1028) \$225
<input type="checkbox"/>	SOCHR		Curved Headrest (E0955) \$225
<input type="checkbox"/>	ASNPBTK		Sip-N-Puff Breath Tube Kit (E2326) \$395
Adult - ASL Proximity Head Array			
<input type="checkbox"/>	QASLHAA	42	Adult - ASL Proximity Head Array (E2330) \$3,695
<input type="checkbox"/>	QASLARHA		Adjustable Removable Hardware (E1028) \$225
Adult - Switch-it Proximity Head Array			
<input type="checkbox"/>	QSIHAA	42	Adult - Switch-it Proximity Head Array (E2330) \$3,695
<input type="checkbox"/>	QSIARHA		Adjustable Removable Hardware (E1028) \$225
Proportional Mini joystick chin / lip control package			
<input type="checkbox"/>	APGDMJC	43	Proportional Mini joystick chin / lip control pkg. (E2312) \$2,595
<input type="checkbox"/>	APMJCARH		Adjustable Removable Hardware (E1028) \$225
<input type="checkbox"/>	SOCHR		Curved Headrest (E0955) \$225
Proportional Mini joystick for Midline Mount			
<input type="checkbox"/>	APGDMJM	43	Proportional Mini joystick for Midline Mount (E2312) \$2,595
<input type="checkbox"/>	APMJMSM		Midline Swing-away Mount (E1028) \$345
Proportional Mini joystick for Armrest Mount			
<input type="checkbox"/>	APGDMJA	43	Proportional Mini joystick for Armrest Mount (E2312) \$2,595
<input type="checkbox"/>	APMJASM		Swing-away Mount (E1028) \$345
Proportional RIM Head Control Package			
<input type="checkbox"/>	QPHCQ	42	Proportional RIM Head Control Package (E2327) \$2,895
<input type="checkbox"/>	QPHCM		Adjustable Removable Hardware (E1028) \$225

Note 42 Requires the Omni Enhanced Display & Digital Interface Box (EDIB)

Note 43 Requires either the environment control module (IOM) or the Omni Enhanced Display & Digital Interface Box (EDIB)

(Required) Options for Specialty Controls

<input type="checkbox"/>	ECR120	44	R-net PM 120 Amp Expandable Controller (E2377) \$525
<input type="checkbox"/>	ECRNH	44	Harness for Expandable Controller (E2313) \$350

Note 44 These options are required in addition to any specialty driver controls

(Requires 1 option for Specialty Controls) Omni Display or IOM - Input / Output Module

<input type="checkbox"/>	EDIB	45	Omni (Enhanced Display & Digital Interface Box with Infrared) \$1,395
<input type="checkbox"/>	IOM	46	IOM Input / Output Module (E2351) \$995

Note 45 Compatible with all Specialty Driver Controls. Requires the R-net PM (ECR120) Fully Expandable Controller
This Input Module allows a proportional or switched drive device to be connected to an R-net Control module
without using an Omni. It must be ordered with any R-net Remote Joystick.
Note 46 The IOM does not support Sip-n-Puff, Head Array and the Proportional head control input devices

ENHANCED DISPLAY MOUNT

<input type="checkbox"/>	EDSAM	User Swing Away Mount (E1028)	<input type="checkbox"/>	EDML (Install Display on LH side)	<input type="checkbox"/>	EDMR (Install Display on RH side)	N/C
--------------------------	-------	-------------------------------	--------------------------	-----------------------------------	--------------------------	-----------------------------------	-----

SWITCHES AND OPTIONS

<input type="checkbox"/>	ASCDDT	Hand Held DTT Programmer Pad	\$1,195
<input type="checkbox"/>	ASCPCP	P&G Dongle and PC compatible	\$425
<input type="checkbox"/>	SSBS	Buddy Button Switch (K0108)	\$95
<input type="checkbox"/>	SSDS	Mini-Cup (Disc Switch)	\$150
<input type="checkbox"/>	SSES	Egg Switch-Black	\$110
<input type="checkbox"/>	SSML	Micro Light Switch	\$145
<input type="checkbox"/>	ASCCA5	CA5 5 switch Adaptor	\$150

